

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:	Stefano et al.	Conf. No.:	6473
Serial No.:	10/526,091	Art Unit:	1655
Filed:	08/15/2005	Examiner:	Winston, Randall O.
Title:	NITRIC OXIDE AND ITS BIOMEDICAL SIGNIFICANCE	Docket No.:	R1381-200-US (SUNY-0003-US)

DECLARATION UNDER 37 CFR 1.132

I, George B. Stefano, Ph.D., declare the following:

1. I am a co-inventor of the subject matter described and claimed in the above-identified patent application. I am currently employed by the Neuroscience Research Institute, State University of New York/College at Old Westbury, P.O. Box 210, Old Westbury, New York, 11568. A copy of my curriculum vitae is annexed as Exhibit "A".
2. I am fully familiar with the subject patent application and with the final rejection mailed October 6, 2008 and the advisory action mailed February 2, 2009. I understand that the examiner has rejected claims 1-7 and 15-18 under 35 USC 102(e) as allegedly being anticipated by or in the alternative, under 35 USC 103(a) as allegedly being obvious over (PDR for Herbal Medicines, First Edition, *Salix Species*, pages 1111-1112, copyrighted 1998) (referred to herein as "PDR") or (The Healing Herbs, The Ultimate Guide to the Curative Power of Nature's Medicines, *White Willow*, pages 369-371, copyrighted 1991) (referred to herein as "Healing Herbs"). I understand that the basis of the rejection is that the references teach "a pharmaceutical composition which appears

to be the same as that instantly claimed since both the claimed invention and each of the reference compositions comprising a water extract of the bark of the same *Salix alba* species would also inherently contain water soluble components having the claimed molecular weight therein." Office Action 10-02-2008 p.3 I understand that the alternative basis of the rejection is that the invention would have been obvious to a person of ordinary skill in the art "even if the claimed composition is not identical to the referenced composition in regard to some unidentified characteristics, the differences between the that which is disclosed and that is claimed are considered to be so slight that the referenced composition is likely to inherently possess the same characteristics which they have been shown." Id. p.4

3. It is my opinion that the current amendments to claims 1 and 15 reciting, *inter alia*, "wherein said extract contains a first compound with a molecular weight of 263.3 daltons and a second compound with a molecular weight of 356.5 daltons and a third compound with a molecular weight of 337.5 daltons and a fourth compound with a molecular weight of 354.4 daltons" overcome these rejections. The current amendments are supported by the identification of detailed chemical structures of four (4) compounds contained within Healthin II.

4. The determination of chemical structure was accomplished by rigorous comparative analysis of mass spectrometry records obtained from chemical libraries and by our original spectra of Healthin II. We provide detailed reporting of each individual spectral analysis and comparative statistical matches with original spectra obtained from mass spectrometry of Healthin II. The matches are compelling and provide significant support for our contentions that Healthin II contains discrete chemical

compounds that contribute to additive and/or synergistic evoked stimulation of nitric oxide release. The abilities of these combinations of chemical compounds to evoke the therapeutic release of nitric oxide from constitutive positive physiological sources clearly separate their medicinal properties from those that are categorized within the salicin class of compounds.

5. We have found that that Healthin II contains four (4) distinct nitric oxide releasing compounds: 2,3-dihydroxypropyl oleate, bis(m-phenoxyphenyl) ether, 6-acetyl-5,6,6a,7-tetrahydro-4H-dibenzo(de,g)quinoline, and (+)-N-(p-(2-methylbutoxy)benzylidene)-4-(2-methylbutyl)aniline.

6. Healthin II represents discrete HPLC peaks that elute at characteristic retention times determined by the concentration of acetonitrile within the HPLC mobile phase. Despite the appearance as single HPLC peaks, Healthin II contains more than one chemical compounds. We know this from the composite MS TOF fragmentation patterns of Healthin II.

7. The mass spectrometry for Healthin II is annexed as Exhibit "B".

8. A description, mass spectrometry and comparative mass spectrometry for 2,3-dihydroxypropyl oleate is annexed as Exhibit "C". 2,3-dihydroxypropyl oleate has a molecular weight of 356.5 daltons.

9. A description, mass spectrometry and comparative mass spectrometry for bis(m-phenoxyphenyl) ether is annexed as Exhibit "D". bis(m-phenoxyphenyl) ether has a molecular weight of 354.4 daltons.

10. A description, mass spectrometry and comparative mass spectrometry for 6-acetyl-5,6,6a,7-tetrahydro-4H-dibenzo(de,g)quinoline is annexed as Exhibit "E". 6-

acetyl-5,6,6a,7-tetrahydro-4H-dibenzo(de,g)quinoline has a molecular weight of 263.3 daltons.

11. A description, mass spectrometry and comparative mass spectrometry for (+)-N-(p-(2-methylbutoxy)benzylidene)-4-(2-methylbutyl)aniline is annexed as Exhibit "F". (+)-N-(p-(2-methylbutoxy)benzylidene)-4-(2-methylbutyl)aniline has a molecular weight of 337.5 daltons.

12. Data in support of the present application indicates that aqueous extraction procedures utilized in earlier experiments operationally resulted in significant carry over of lipid soluble chemical compounds. This is based on the observed retention of active nitric oxide-releasing components on reverse phase HPLC columns and the ability of a traditional lipid extraction procedure to partition and concentrate these same active compounds. Overall, these results are consistent with the established chemical literature that indicates that nonpolar and lipid compounds are capable of forming mixed micelles within aqueous media. Refer to Exhibit "G" detailing the nitric oxide releasing properties of the claimed pharmaceutical composition.

13. We provide the chemical identities of four (4) nonpolar compounds operationally contained within the HPLC peaks termed Healthin II. The chemical identities of the four (4) compounds were determined by rigorous statistical analysis of composite TOF MS fragmentation spectra of Healthin II in comparison to filed TOF MS fragmentation spectra for each compound. Based on our accumulated chemical validation analyses, the four (4) nonpolar compounds capable of nitric oxide release are novel and clearly distinct from the class of water soluble, hydrophilic, salicin/salicylate compounds previously described by prior art.

I further declare that all statements made herein of my own knowledge are true and that all statements made upon information and belief are believed to be true; and further that these statements are made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the above-referenced application or any patent issued thereon.


George B. Stefano, Ph.D.

4/8/09
Dated

ATTACHMENT “A”

CURRICULUM VITAE

PART I: General Information

DATE PREPARED: Feb 2, 2008

Name: George B. Stefano

Office Address: Neuroscience Research Institute, State University of New York/College at Old Westbury, P.O. Box 210, Old Westbury, NY 11568

Home Address: 1 Sleepy Lane, Melville, NY 11747

Office Phone: 516-876-2732 **Fax:** (516) 876-2727

E-Mail: gstefano@sunynri.org

Place of Birth: New York City, New York

Education: 1973 Ph.D. Fordham University
1969 M.S. Fordham University
1967 B.S. Wagner College

Academic Appointments:

1999-	Vice Chair, Board of Directors, Research Foundation, State University of New York. Executive Committee of RFSUNY, Finance Committee, Human Resources Committee.
1999-2003	Director, Basic Research, Mind/Body Medical Institute, Boston MA.
1998-2003	Adjunct Professor, Dept. Medicine, Beth Israel Deaconess Medical Center, Harvard Med. School.
1994-	Adjunct Professor, Dept. Marine Sciences, SUNY Stony Brook
1994-	Adjunct Professor, Dept. Biophysics and Physiology, SUNY Stony Brook
1993-1994	Professor (Contracto) Institute of Pathology, Univ. Modena Medical School, Italy
1993-	Adjunct Professor of Surgery, Univ. Medical Center, SUNY Stony Brook.
1989-	Director, Neuroscience Research Institute, SUNY Old Westbury
1982-	Distinguished Professor of Biology, SUNY/College at Old Westbury
1979-1982	Associate Professor of Biology, CUNY/Medgar Evers College
1977-1979	Adjunct Associate Professor of Biology, C.W. Post Center, Long Island University
1975-1979	Adjunct Instructor of Medical Physiology-Pharmacology, Montefiore Hospital and Medical Center
1972-1979	Assistant Professor of Biology, CUNY/New York Technical College
1971-1972	Instructor of Anatomy and Physiology, Histology, CUNY/Queensborough Community College

1971-1972	Adjunct Instructor of Anatomy and Physiology, Pace College
1969-1970	Instructor of Anatomy and Physiology, Histology, CUNY/Bronx Community College

Other Professional Positions and Major Appointments:

2006-	Professor, Pain Center, Sino-Japanese Friendship Hospital, Beijing, PR China
2006-	Professor, Peking University, PR China
2006-	Chief Consultant for Technologies, PR China
2003-	Acting Vice President for Research, SUNY Farmingdale
2002-	Board Member, Broad Hollow Bioscience Park, Inc.
1998-	Research Associate, Invertebrate Neuroimmune Laboratory, UPRESA CNRS, University of Sciences & Technology of Lille, France
1995-1998	Director, Cardiac Research Program, Cardiovascular Research Center, SUNY Medical Center at Stony Brook
1994-1996	Research Associate, Div. Psychiatry, Brigham and Women's Hosp., Harvard Medical School
1979-1982	Research Coordinator, Department Anesthesiology, St. Joseph's Hospital
1978-1979	Biochemical Project Director, Malignant Hyperthermia Center, Montefiore Hospital and Medical Center
1977-1981	Research Consultant, Department of Pharmacology, University of West Virginia School of Medicine.
1977-1981	Research Associate, Department of Natural Sciences, CUNY/Medgar Evers College
1976	Invited Researcher, Biology Research Institute, Tihany, Hungary.
1975-1979	Research Consultant, Department of Neurology, Albert Einstein College of Medicine
1973-1980	Research Associate, Department of Biological Sciences, Fordham University.

Major Administrative Responsibilities:

2002-	SUNY-wide Patent Committee member.
2000- 2003	Board of Trustees, Wagner College
1999-	Vice Chair, Board of Directors, Research Foundation of the State University of New York
1994	Acting Vice Pres. for Academic Affairs at SUNY Old Westbury
1989-	Director, Old Westbury Neuroscience Research Institute
1988-	Director, Multidisciplinary Center for the Study of Aging
1985-1988	Assistant Vice President for Research, SUNY/College at Old Westbury
1982-1986	Chair, Biological Sciences Dept, SUNY/College at Old Westbury

Major Committee Assignments:

State University of New York/College at Old Westbury and related academic institutes:

2007	Chair, Committee on Research for the RF of SUNY
------	---

1995-2003	Chair, Radiation Safety Committee
1994	Chair, Vice President for Academic Affairs Selection Committee
1990	Drug Abuse Committee
1990	College Budget Committee
1990	Chair, Internal Grant Review Comm.
1988-1990	Scientific Conduct Committee
1985-1988	Co-Chair, Science Building Committee
1985-1987	Computer Policy Committee
1984-1987	Science Space Allocation Committee
1984-1985	Long-Range Institutional Planning Committee
1983-1988	College-wide Reappointment, Promotion and Tenure Committee
1983-1986	Conveners Committee
1983-1985	President's Advisory Committee
1983-1985	Chairman, Institutional Grant Committee
1983	Judicial Review Committee

National and Regional:

1999	President, Advances in Neuroimmunology Meeting, Shanghai, China
1999	Co-organizer, Neuroimmune Congress, Shanghai, China
1997	Organizer/Chairman, NIMH-COR Colloquium
1997	Co-organizer, Neuroimmune School, Univ. Lille/SUNY-Old Westbury
1997	Coordinator, Neuroimmune Congress, Beijing Medical University, China
1996	Coordinator, Neuroimmune Summer School, Rimini, Italy
1996	Co-chair, Psychoneuroimmune Consortium: Opiate Immunoregulatory Processes, SUNY-Old Westbury & Div. Psychiatry, Brigham and Women's Hosp.
1995	Organizer, Neuroimmune delegation by invitation of the People's Republic of China to visit various medical universities in China
1994-1996	Co-Director, Psychoneuroimmune Consortium, Div. Psychiatry, Brigham and Women's Hosp. Harvard Medical School
1994	Organizer, Cardiopulmonary Bypass and Neuroimmune Implications Symposium
1992	Organizing Committee, Stress Workshop, Modena, Italy
1992	Chair, Neuroimmune Neuropeptide Receptor Section of Satellite Symposium on Neuroimmune Interactions and their Regulation, Budapest, Hungary
1991	Organizer, Neurochemistry Workshop with NIDA and industry (BAS, American Innovision, Inc., Morrell Inst. Co.)
1991	Executive President, International Association of Immuno-Neurobiologists, France
1990-1991	Secretary/Chair, National Conference Subcommittee, National Science Literacy Conference of Dr. Louis Sullivan, PHS
1990	Headed major session of Comparative Neuroimmunology-Neuroimmunomodulation Congress, Florence, Italy
1990	Co-organizer, Comparative and Developmental Neuroimmunology Workshop, Modena, Italy

1989	Co-organizer, Neuropeptide/Neuropharmacology Meeting, West Germany
1987-1992	President, ADAMHA-MARC Program Directors Association
1987	Presenter, 2nd Neuroscience World Congress, Budapest, Hungary
1987	Organizing Committee, Invertebrate Neurobiology Symposium: Neurotransmitters/Modulators and Receptors, Tihany, Hungary
1987	Executive Committee, NIH-MBRS Centennial
1987	Consultant, NIMH/NIDA Committee to enhance neuroscience training and programs productivity
1986-1990	Organizer, ADAMHA-MARC Washington Conference
1984	Organizer for SUNY/Old Westbury, Comparative Opioid Neuropeptide Meeting
1983	Invited Consultant, Drug Abuse-New York City, Councilman J. O'Donovan
1980	International Organization Committee, Satellite Symposia: "Neurotransmitters in Invertebrates; Chairman of Peptidergic-Neurobiology Session, Vezyprem, Hungary
1980	Chair and presenter, Scientific Session at International Physiology Congress Meeting, Budapest, Hungary
1978-1984	Director of East Coast Neuroscience Foundation, Inc; Chairman, Neuropharmacology Division

Current Grant Review Committees

National Institute of Mental Health
National Science Foundation
National Institute on Drug Abuse
National Heart, Lung and Blood Institute

Current Journal Review Committees

Science
Nature
Brain Research
Journal of Neuroimmunology
Journal of Immunology
Life Sciences
Cellular and Molecular Neurobiology
Molecular Brain Research
Endocrinology
Neuroendocrinology
Neuroscience Letters
Cell and Tissue Research
FEBS Letters
Journal of Biological Chemistry
Neurochemistry
Journal of Neurochemistry

Professional Societies:

President of the Morphine Research Society 2005-
New York Academy of Science
American Association for the Advancement of Science
International Society for Invertebrate Neurobiology (Seat on Executive Council)
International Society of Neuroimmunology
Society for Neuroscience
Gerontology Society of America
Member of the Council on Undergraduate Research

Editorial Boards:

2002-	Deputy Editor, Neuroendocrinology Letters
2002-2003	Co-Editor in Chief, Placebo
2001-	International Journal of Molecular Medicine
2001-	Editor in Chief -Medical Science Monitor
2000-2001	Editor, Animal Biology
1999-2000	Progress in NeuroEndocrinImmunology
1999-	Editor, Modern Aspects of Immunobiology, LA-Verlag
1999-	Advisory Board and Editor for North America, Acta Pharmacologica Sinica
1998-1999	Associate Editor, Journal of Neuroimmunology
1990-1996	Co-Editor & Founder, Advances in Neuroimmunology, Pergamon Press
1987-1992	Editor, STIMULUS, ADAMHA-MARC newsletter
1979-	Editorial Board & Founder, Cellular and Molecular Neurobiology, Plenum Press
1978-1984	East Coast Neuroscience Foundation, Inc. Bulletin Division

Awards and Honors:

2006	Excellence in Education, Old Westbury Alumni Association
2004	First Patent Award, Research Foundation of SUNY
2003	Award for Excellence in the Pursuit of Knowledge, Research Foundation of SUNY
2000	International Educators Award, Long Island International Business Forum
1994	Rod Spence Research Award
1991	CASE Professorship of the Year Award for New York State
1989	Distinguished Teaching Professor Status, State University of New York
1988	Honorary membership, Hungarian Academy of Science, Physiology Society and Samuel Racs Medallion
1983	Alumni Achievement Award, Wagner College
1967-1969	Graduate Assistantship, Department of Biology, Fordham University
1965-1969	Scholar Incentive Award, NYS Department of Education

PART II: Research and Teaching

A. Narrative report:

Dr. George Stefano, a Distinguished Teaching Professor, serves as the Director of the Neuroscience Research Institute at the State University of New York (SUNY) College at Old Westbury. This is one of many four-year Liberal Arts Colleges within the SUNY system, and the only one with a specific minority mission: to foster science education and research career options for these students. Dr. Stefano serves as the Director of Basic Research for the Mind/Body Medical Institute of the Beth Israel Deaconess Medical Center in Boston. Dr. Stefano is also the Vice Chair of the Board of Directors of the Research Foundation of SUNY. Four of his minority students have honored with the Chancellor's Award for Academic Excellence and 15% of his publications are co-authored by his students.

Dr. Stefano has published over 300 papers in peer reviewed journals, i.e., Science. He has edited four books and over 50 chapters for various texts. He has four patents. Since 1978, his research is funded by the National Institute of Mental Health, National Institute on Drug Abuse, National Institutes of Health, Fogarty International Center, National Science Foundation, Center for Disease Control and Prevention, and various other private foundations. Dr. Stefano has served as the Editor and/or Associate Editor of various scientific journals, i.e., Modern Aspects of Immunobiology. He has also organized over eight National and International Conferences and was recently elected president of the International Morphine Research Society in Italy.

His discoveries include, and are not limited to, the following: 1) novel opiate receptors coupled to nitric oxide release in human tissues; 2) estrogen cell surface receptors coupled to nitric oxide release in human tissues; 3) morphine is an endogenous signal molecule found in human tissues; 4) mollusks have similar opiate processes, thus it has been conserved during evolution; 5) cannabinoid coupled nitric oxide receptors found in human and invertebrate tissues; 6) endogenous morphine is made by human and animal parasites to escape host immunosurveillance.

The implication of his patents and discoveries demonstrate that morphine is made in animal tissues and it serves as a signal molecule to down regulate tissues that have been hyper-excited. This is supported by his discovery of a novel μ_3 opiate receptor that specifically uses morphine as its activator. Thus, immune, vascular, and neural hyper-excitation can be brought under control by using this naturally occurring signal molecule. Supporting this hypothesis are the findings from Dr. Stefano that animal parasites, including human parasitic worms, make morphine presumably to down regulate the host immune response allowing the parasite to proliferate in its animal host. The importance of this morphine system has been enhanced by the discovery of this molecule and its corresponding receptor in animals that evolved 500 million years before man.

Recently, Dr. Stefano has extended this line of study to include estrogen signaling, which also results in nitric oxide release. Furthermore, he has demonstrated that this signaling occurs via cell surface receptors, not through a DNA based process, as most investigators believed. With this in mind, Dr. Stefano's career is founded on great creativity coupled to perseverance, all in the face of conventional wisdom.

B. Funding Information:

(Funding from individuals and organizations of less than \$25,000 are not included)

2000-2003	CDC	Co-PI
	Mechanisms and Therapeutic Effects of the Relaxation Response	
1999-2002	NIMH/MRISP	PI
	Neurobiology of Morphine	
1998-2001	NIMH	Prog Dir
	High School Honors Research Program.	
1992-1996	NSF	Co-PI
	Teacher-Science Training Award	
1991-2001	NIMH/COR	Prog Dir
	Opioid Mechanisms in Neuroimmunology.	
1990-1993	NIDA/ADAMHA	Prog Dir
	Opioid Autoimmunoregulatory Mechanisms	
1990	SUNY	PI
	Scientific Equipment Grant	
1988-1991	NSF International	Prog Dir
	Opioid Neurobiology	
1987-1991	NIH Grant 08180	PI
	Effect of Physical Stress on the Opioid-Dopaminergic Interaction in Invertebrates	
1987	RF of SUNY	Co-PI
	Scientific Equipment Grant	
1987	NIH	PI
	Scientific Equipment Grant	
1986-1991	NIMH/ADAMHA-MARC	Prog Dir
	Undergraduate Honors Research Training Grant	
1985-1989	NYS Dept. of Ed.	Co-Assoc Prog Dir
	Title III Computer Development Grant.	
1984	NIH	PI
	Scientific Equipment Funding	
1983-1986	NIMH/ADAMHA-MARC	Prog Dir
	Undergraduate Training - Narcotic Mechanisms	
1983-1986	NIH/MBRS	PI
	Dopamine-Opioid Interaction	
1979-1983	NIMH/MBS Grant RR08171	PI
	Opioid Peptide Metabolism	

Corporate Partnerships (National Faculty Training Workshops for NIDA):

2000	Nikon Inc., Image Analytics, Morrell Inst. Company
	Opiate Vascular Neuroimmunology (Chicago, IL)
1999	Nikon Inc., Image Analytics, Morrell Inst. Company
	Opiate-AIDS Interaction (Melville, NY)
1998	Nikon Inc., Image Analytics, Morrell Inst. Company
	Cannabinoids and Opiate Vascular Neuroimmunology (Chicago, IL)
1994-1997	Nikon Inc., Image Analytics, Morrell Inst. Company
	Endogenous Morphine / Image Analysis Workshop (Melville, NY)

1993	Nikon Inc., Image Analytics, Morrell Inst. Company Morphine in Neuroimmunology / Image Analysis Workshop (Melville, NY)
1993	KNOGO Corporation The Effects of Electromagnetic Radiation on Immunocytes
1992	American Innovision AIDS: Neuroimmunology / Image Analysis Workshop (San Diego, CA)
1991	BAS Instruments, Morrell Inst. Company Neurochemistry Workshop.(Cherry Hill, NJ)

C. Report of Current Research Activities

2002-2007	NIMH/MRISP Endogenous Morphine	PI
2002-2006	Lifewaves Inc. Cyclic Activation/Relaxation Exercise	Sub-Proj Co-PI
2002-2006	Cell Dynamics Inc. Solubilization and Isolation of Plant Extracts	Co-PI
1994-2008	NIDA/MIDARP Opiate Neuroimmune Mechanisms	PI
1993-2009	NIH/Fogarty Minority International Research Training Program	Prog Co-Dir

Patents

Mu3 Opiate Receptor	09/530,880
Mu3 Expression on Human White Blood Cells	US09/05452
Parasite Infections	60/369,641
Placebo Effect & Relaxation Response	US02/00941

D. Report of Teaching (Summary)

1. Local Contributions, SUNY College at Old Westbury

Dr. Stefano's primary responsibilities at the State University of New York, Old Westbury, are directed toward instruction and research. However, believing that research involves teaching, he has been able to combine the two objectives into one activity. In this regard, he has instructed undergraduates in the following courses: a) Cell Biology; b) Histology; c) Biology of Aging; and d) Cellular and Molecular Neurobiology. In these courses, over the past 20 years, the laboratory exercises have consisted of real research questions that have enabled his students to pursue these questions as a research topic as well. Indeed, at least 20% of his publications include the names of these students as coauthors. Furthermore, many of these students were minorities traditionally under-represented in the sciences. To further their career research/biomedical goals they were also part of various grants Dr. Stefano has directed to support minority participation in research. In the last four years, four of his students have been honored with the Chancellor's Award for Academic Excellence, a SUNY-wide competition. In addition to these activities, he has taught neuroimmunology to medical students at the University

of Modena. Based, in part, on this high level of instruction, Dr. Stefano has been awarded the highest academic rank at SUNY, namely, Distinguished Teaching Professor.

2. Regional, National, and International Contributions and Invited Presentations

- | | |
|------|--|
| 2001 | Plenary Speaker
Immune Congress, Modena, Italy |
| 2000 | Lecture, Opiate Neurovascular Regulation
CUNY Queens College |
| 2000 | Lecture, Opiate Immunomodulation
SUNY Upstate |
| 1999 | Lecture, Peripheral Immunovascular Regulation
Mind-Body Medical Institute, Harvard Medical School |
| 1998 | Invited Speaker, Drugs of Abuse, Immunomodulation and AIDS
Chaired Session of Molecular Mechanisms of Immunomodulation
Member of Panel, What are the effects of illicit drugs on the immune system as judged by animal models? |
| 1998 | Lecture, Opioid Peptide Immunomodulation
CUNY Queens College |
| 1998 | Lecture, Opiate Immunomodulation
Univ. TX, Med. Branch, Galveston |
| 1997 | Invited Professor for lecture series
University of Sciences & Technology of Lille, France |
| 1996 | Lecture, Opiate coupling to Nitric Oxide Release
CUNY Queens College |
| 1996 | Lecture Series, Cardiothoracic
SUNY Stony Brook Univ. Med. Ctr |
| 1995 | Plenary Speaker, Neurosecretion Congress, Kiel, Germany |
| 1995 | Invited Lead Speaker, Neuroimmune Delegation
Beijing Medical Univ.; Peking Union Medical College; West China Med. School; Jinan University and Shanghai Research Institute |
| 1995 | Speaker, Neurobiology Meeting, Tihany, Hungary |
| 1995 | Speaker, Comparative Immunology Meeting, Breckenridge |
| 1994 | Invited Lecturer, Novel Opiate and Opioid Receptors on Human Immunocytes
International Neuroimmune Symposium on Infectious Diseases, Rio de Janeiro, Brazil |
| 1993 | Lecture, Morphine: A New Class of Signal Molecules
Div. Psychiatry, Brigham and Women's Hosp., Harvard Med. School |
| 1993 | Lecture, Endogenous Morphine
Dept. Psychiatry, Univ. TX, Med. Branch, Galveston |
| 1991 | Lecture, Opioid Neuroimmune Mechanisms
Institute Pasteur |
| 1991 | Lecture, Computer Assisted Microscopy: Neuroimmunology
Univ. Texas. Med. Branch at Galveston. |
| 1990 | Lecture, Opioid-Neuroimmune
Dept. Psychiatry, Univ. TX, Galveston |

- 1990 Lecture, Opioid Neuroimmune Mechanisms
 Institute Pasteur
- 1990 Invited Plenary Lecturer, Neuroimmunology
 European Comparative Endocrinology Society, Belgium
- 1986 Lecture, Serotonin
 Fordham University
- 1985 Invited Major Speaker, Biology of Aging, Neurotransmitters
 Gordon Research Conference
- 1983 Invited presenter, Opioid Binding Report
 Comparative Endocrinology Society Meeting, Sheffield, England
- 1981 Invited presenter, at:
 Satellite Symposia-Comparative Neuropharmacology; International
 Pharmacology Congress, Japan; International Narcotic Research Club,
 Kyoto, Japan
- 1980 Invited presenter, Neurobiology of Invertebrates
 Satellite Symposia-Mechanisms of Integration, Tihany, Hungary

PART III: Bibliography

A. Books, Texts

1. Stefano GB. Comparative Opioid and Related Neuropeptide Mechanisms. Boca Raton, FL: CRC Press, 1986.
2. Stefano GB. Neurobiology of *Mytilus edulis*. Manchester: University of Manchester Press, 1990.
3. Stefano GB, Florey E. Comparative Aspects of Neuropeptide Function. Manchester: University of Manchester Press, 1991.
4. Makman MH, Stefano GB. Neuroregulatory Mechanisms in Aging. Oxford, England: Pergamon Press, 1993.
5. Scharrer B, Smith EM, Stefano GB. Neuropeptides in Neuroimmunology. Heidelberg, Germany: Springer, 1994.
6. Stefano GB. Biomedical Significance of Nitric Oxide. Warsaw, Poland: Medical Science International, 2003.
7. Stefano GB, Bernstein S, Minsun K. Musical Healing. Warsaw, Poland: Medical Science International, 2003.
8. Stefano GB, Benson H, Fricchione GL, Esch T. The Stress Response: Always good and when it is bad. Medical Science International: New York. 2005.

B. Education Articles

1. Stefano GB, Leung MK. An undergraduate minority research training program. J. Coll. Science Teaching, 15: 544-546. 1986.
2. Stefano GB, Pryor SC. An easily accessible alternate animal for studying living cells: Image analysis for undergraduate and high school research. J. Coll. Science Teaching. 1994.
3. Stefano GB, Pryor SC. Image analysis for undergraduate research. Council on Undergraduate Research Quarterly. 1996.

C. Chapters in Research Texts

1. Rozsa KS, Hiripi L, Stefano GB. Pharmacological and biochemical properties of opiate receptors in molluscs. In: Wollemann M, editor. Symposium on biogenic amines and peptide receptors. Hungarian Press, 1979.
2. Rozsa KS, Hiripi L, Stefano GB. Pharmacological and biochemical properties of opiate receptors in the brain of molluscs. In: Vizi ES, Wollemann M, editors. Aminergic and peptidergic receptors. London: Pergamon Press, 1979: 115-131.
3. Stefano GB, Hiripi L, Rozsa KS, Salanki J. Behavioral effects of morphine on the land snail *Helix pomatia*: Demonstration of tolerance. In: Salanki J, editor. Neurobiology of Invertebrates. New York: Pergamon Press, 1980: 285-295.
4. Stefano GB, Kream RM, Zukin RS, Catapane EJ. Seasonal variation of stereospecific enkephalin binding and dopamine responsiveness in *Mytilus edulis* pedal ganglia. In: Rozsa KS, editor. Neurotransmitters in Invertebrates. London: Pergamon Press, 1980: 453-459.
5. Stefano GB. Opiates and neuroactive pentapeptides: Binding characteristics and interactions with dopamine stimulated adenylate cyclase in the pedal ganglia of *Mytilus edulis*. In: Rozsa KS, editor. Neurotransmitters in invertebrates. London: Pergamon Press, 1980: 423-453.
6. Stefano GB, Kream RM. The calcium-dependent neuronal release of dopamine and its antagonism by lithium: Effects of lithium on opiate agonist and antagonist binding in the marine mollusc *Mytilus edulis*. In: Emrich HM, Aldenhoff JB, Lux HD, editors. Basic mechanisms in the action of lithium. Excerpta Medica Press, 1982: 64-71.
7. Stefano GB, Zukin RS, Kream RM. Tentative identification of high affinity opioid binding sites in the pedal ganglia of the marine mussel *Mytilus edulis*. In: Takagi H, Simon EJ, editors. Advances in endogenous and exogenous opioids. New York: Elsevier Science, 1982: 48-50.

8. Kream RM, Leung MK, Stefano GB. Is there authentic substance p in invertebrates? In: Stefano GB, editor. Comparative opioid and related neuropeptide mechanisms. Boca Raton: CRC Press, Inc., 1984: 65-72.
9. Makman MH, Stefano GB. Marine mussels and cephalopods as models for study of neuronal aging. In: Mitchell DH, Johnson TE, editors. Invertebrate models in aging research. Boca Raton, Florida: CRC Press, Inc., 1984: 165-190.
10. Colon-Urban R, Stefano GB. Behavioral effects of morphine on several species of bryozoans. In: Nielson C, Larwood GP, editors. Bryozoa: Ordovician to recent. Denmark: Olsen and Olsen, 1985: 67-71.
11. Hiripi L, Salanki J, Stefano GB, Assanah P. Heavy metal pollution influences serotonin level and dopamine-stimulated adenylate cyclase activity in the CNS of molluscs. In: Salanki J, editor. Symposia Biologica Hungarica. Budapest: Acad. Hungaria Press, 1985: 401-412.
12. Bianchi CP, Wang Z. Morphine enhancement of the cholinergic response of anterior byssus retractor muscle of *Mytilus edulis*. In: Stefano GB, editor. Handbook of opioid and related neuropeptide mechanisms. Boca Raton: CRC Press, 1986: 59-64.
13. Flanagan T, Zipser B. Opioid-peptide and substance P immunoreactivity in cyotological preparations and tissue homogenates of the leech. In: Stefano GB, editor. Handbook of comparative opioid and related neuropeptide mechanisms. Boca Raton: CRC Press, 1986: 165-180.
14. Hansen BL, Hansen GN, Scharrer B. Immunocytochemical demonstration of a material resembling vertebrate ACTH and MSH in the corpus cardiacum-corpus allatum complex of the insect *Leucophaea maderae*. In: Stefano GB, editor. CRC Handbook of comparative opioid and related neuropeptide mechanisms. Boca Raton: CRC Press, 1986: 213-222.
15. Jaros PP. Neuropeptides in crustaceans with special reference to opioid-like peptides. In: Stefano GB, editor. Handbook of comparative opioid and related neuropeptide mechanism. Boca Raton: CRC Press, 1986: 181-195.
16. Kream RM, Zukin RS, Stefano GB. Opioid receptor properties in invertebrates. In: Stefano GB, editor. Comparative aspects of opioid and related neuropeptide mechanisms. Boca Raton: CRC Press, Inc., 1986: 13-24.
17. Leung MK, Stefano GB. Isolation-identification of opioids in invertebrates. In: Stefano GB, editor. Comparative Opioid and related neuropeptide mechanisms. Boca Raton: CRC Press, Inc., 1986: 41-48.
18. Martin R, Haas C, Voight KH. Opioid and related neuropeptides in molluscan neurons. In: Stefano GB, editor. Handbook of comparative opioid and related neuropeptide mechanisms. Boca Raton: CRC Press, 1986: 49-64.

19. Smyth DG. Flexibility in the processing of Beta-endorphin. In: Stefano GB, editor. handbook of comparative opioid and related neuropeptide mechanisms. Boca Raton: CRC Press, 1986: 37-40.
20. Stefano GB. Conformational matching: a possible evolutionary force in the evolvment of signal systems. In: Stefano GB, editor. CRC Handbook of comparative opioid and related neuropeptides mechanisms. Boca Raton: CRC Press Inc., 1986: 271-277.
21. Stefano GB, Leung MK. Opioid aging and seasonal variations in invertebrate ganglia: Evidence for an opioid compensatory mechanism. In: Stefano GB, editor. Comparative Opioid and related neuropeptide mechanisms. Boca Raton: CRC Press, Inc., 1986: 233-242.
22. Stefano GB. Conformational matching: a possible evolutionary force in the evolvment of signal systems. In: Stefano GB, editor. CRC Handbook of comparative opioid and related neuropeptide mechanisms. Boca Raton: CRC Press, 1986: 271-277.
23. Voigt KH. Neuropeptides with cardioexcitatory and opioid activity in Octopus nerves. In: Stefano GB, editor. Handbook of comparative opioid and related neuropeptide mechanisms. Boca Raton: CRC Press, 1986: 127-138.
24. Boer HH, van Minnen J, Stefano GB, Leung MK. Opioid peptides in the central nervous system of *Lymnaea stagnalis*. In: Boer HH, Geraerts WPM, Joosse J, editors. Neurobiology:Molluscan models. Amsterdam: North Holland Publishing Company, 1987: 68-73.
25. Leung MK, Mixon B, Kuruvilla S, Stefano GB. Evidence for the presence of enkephalin precursor in pedal ganglia of *Mytilus edulis*. In: Boer HH, Geraerts WPM, Joosse J, editors. Neurobiology:Molluscan models. Amsterdam: North Holland Publishing Company, 1987: 215-218.
26. Makman MH, Berrios I, Pratt S, Hanlon RT, Stefano GB. Anatomical localization of dopaminergic systems in Octopus retina: Evidence for intrinsic dopamine-containing cells and dopamine D1 receptors. In: Boer HH, Geraerts WPM, Joosse J, editors. Neurobiology:Molluscan models. Amsterdam: North Holland Publishing Company, 1987: 31-36.
27. Stefano GB, Scharrer B, Leung MK. Neurobiology of opioids in *Leucophaea maderae*. Cockroaches as models for neurobiology:Applications in biomedical research. Boca Raton: CRC Press, Inc., 1989: 85-102.
28. Stefano GB. Opioid peptides-comparative peripheral mechanisms. In: Holmgren S, editor. Comparative Physiology of regulatory peptides. New York: Chapman and Hall, 1989: 112-129.

29. Stefano GB, Cadet P, Sinisterra JJ, Charles R, Barnett JA, Kuruvilla S et al. Functional neural anatomy of *Mytilus edulis*: Monoaminergic and opioid localization. In: Stefano GB, editor. Neurobiology of *Mytilus edulis*. Manchester: Manchester University Press, 1990: 38-56.
30. Stefano GB, Aiello E. Thermal acclimation during monoamine axonal transport in *Mytilus edulis*: Pharmacological characteristics. In: Stefano GB, editor. Neurobiology of *Mytilus edulis*. Manchester: Manchester University Press, 1990: 175-188.
31. Stefano GB, Aiello E. Regulation of foot responsiveness by monoaminergic innervation. In: Stefano GB, editor. Neurobiology of *Mytilus edulis*. Manchester: Manchester University Press, 1990: 246-255.
32. Stefano GB. Neurotransmitter/neuromodulator release mechanisms. In: Stefano GB, editor. Neurobiology of *Mytilus edulis*. Manchester: Manchester University Press, 1990: 120-137.
33. Stefano GB. Presynaptic biogenic amine reuptake characteristics. In: Stefano GB, editor. Neurobiology of *Mytilus edulis*. Manchester: Manchester University Press, 1990: 104-119.
34. Stefano GB. Norepinephrine: Presence and interaction with endogenous biogenic amines. In: Stefano GB, editor. Neurobiology of *Mytilus edulis*. Manchester: Manchester University Press, 1990: 93-103.
35. Stefano GB. Opioid receptor biochemistry in *Mytilus edulis*. In: Stefano GB, editor. Neurobiology of *Mytilus edulis*. Manchester: Manchester University Press, 1990: 138-147.
36. Stefano GB. Autoregulation and the potential for neuroimmune communication by *Mytilus* immunocytes. In: Stefano GB, editor. Neurobiology of *Mytilus edulis*. England: Manchester University Press, 1990: 276-288.
37. Stefano GB, Janse C. Molluscan models in aging studies in the central nervous system: *Mytilus* and *Lymnaea*. In: Stefano GB, editor. Neurobiology of *Mytilus edulis*. Manchester, England: Manchester University Press, 1990: 289-308.
38. Stefano JM, Stefano GB. Neural regulation of seasonality and rhythmicity in *Mytilus edulis*. In: Stefano GB, editor. Neurobiology of *Mytilus edulis*. Manchester: Manchester University Press, 1990: 164-174.
39. Vitellaro-Zuccarello L, De Biasi S. Ultrastructure of the ganglia and submicroscopical localization of putative neurotransmitters. In: Stefano GB, editor. Neurobiology of *Mytilus edulis*. Manchester: Manchester University Press, 1990: 57-73.
40. Stefano GB, Cadet P, Sinisterra JJ, Scharrer B. Comparative aspects of the response of human and invertebrate immunocytes to stimulation by opioid neuropeptides. In:

Stefano GB, Florey E, editors. Comparative aspects of neuropeptide function. Manchester: University of Manchester Press, 1991: 329-334.

41. Stefano GB, Smith DM, Smith EM, Hughes TK. MSH can deactivate both TNF stimulated and spontaneously active immunocytes. In: Kits KS, Boer HH, Joosse J, editors. Molluscan Neurobiology. Amsterdam: North Holland Publishing Company, 1991: 206-209.
42. Stefano GB. Stereospecificity as a determining force stabilizing families of signal molecules within the context of evolution. In: Stefano GB, Florey E, editors. Comparative aspects of Neuropeptide Function. Manchester: University of Manchester Press, 1991: 14-28.
43. Van Epps DE, Mason MM. Modulation of leukocyte migration by alpha-melanocyte stimulating hormone. In: Florey E, Stefano GB, editors. Comparative aspects of neuropeptide function. Manchester: Manchester University Press, 1991: 335-345.
44. Bodnar A, Pasternak GW. Aging and analgesic mechanisms. In: Makman MH, Stefano GB, editors. Neuroregulatory Mechanisms in Aging. Oxford: Pergamon Press, 1993: 137-158.
45. Makman MH, Stefano GB. Introduction and perspective on the neurobiology of aging. In: Makman MH, Stefano GB, editors. Neuroregulatory mechanisms in aging. Oxford: Pergamon Press, 1993: 1-5.
46. Stefano GB. Alterations of opioid regulatory mechanisms associated with aging. In: Makman MH, Stefano GB, editors. Neuroregulatory mechanisms in aging. Oxford: Pergamon Press, 1993: 189-206.
47. Stefano GB, Mallozzi L, Pryor SC, Fricchione GL, Bilfinger TV. Neuroimmunological processes and aging. In: Makman MH, Stefano GB, editors. Neuroregulatory mechanisms in aging. Oxford: Pergamon Press, 1993: 117-136.
48. Hughes TK, Chin R. Interactions of neuropeptides and cytokines. In: Scharrer B, Smith EM, Stefano GB, editors. Neuropeptides and Immunoregulation. Berlin: Springer-Verlag, 1994: 101-119.
49. Jankovic BD, Maric D. Enkephalins as regulators of inflammatory immune reactions. In: Scharrer B, Smith EM, Stefano GB, editors. Neuropeptides and Immunoregulation. Berlin: Springer-Verlag, 1994: 76-100.
50. Scharrer B, Stefano GB. Neuropeptides and autoregulatory immune processes. In: Scharrer B, Smith EM, Stefano GB, editors. Neuropeptides and immunoregulation. Springer-Verlag, 1994: 1-18.
51. Smith EM. Corticotropin and immunoregulation. In: Scharrer B, Smith EM, Stefano GB, editors. Neuropeptides and immunoregulation. Berlin: Springer-Verlag, 1994: 28-45.

52. Stefano GB. Pharmacological and binding evidence for opioid receptors on vertebrate and invertebrate blood cells. In: Scharrer B, Smith EM, Stefano GB, editors. *Neuropeptides and immunoregulation*. Springer-Verlag, 1994: 139-151.
53. Stefano GB. Computer-assisted microscopic image analysis in neuroimmunology. In: Phillips MI, Evans D, editors. *Neuroimmunology: Methods in Neuroscience*. Orlando, FL: Academic Press, 1994.
54. Turner A, Leung MK, Stefano GB. Peptidases of significance in neuroimmunoregulation. In: Scharrer B, Smith EM, Stefano GB, editors. *Neuropeptides in neuroimmunology*. Springer-Verlag, 1994: 152-169.
55. Weigent DA, Blalock JE. Neuropeptides in bidirectional communication between the immune and neuroendocrine systems. In: Scharrer B, Smith EM, Stefano GB, editors. *Neuropeptides and immunoregulation*. Heidelberg: Springer-Verlag, 1994: 14-27.
56. Stefano GB. Neuropeptide involvement in invertebrate immunoregulation and its biomedical significance. In: Soderhall K, Vasta G, Iwanaga S, editors. *Invertebrate Immunology*. Fair Haven, NJ: SOS Publications, 1995.
57. Stefano GB, Cadet P, Rialas CM, Mantione K, Casares F, Goumon Y et al. Invertebrate Opiate Immune and Neural Signaling. In: Machelska H, Stein C, editors. *Immune Mechanisms of Pain and Analgesia*. New York, NY: Plenum Publ., 2003: 126-147.
58. Stefano GB, Cadet, P, Zhu, Z., Rialas, CM., Mantione, K., Benz, D, Fuentes, R., Casares, F., Fricchione, GL., Fulop, Z and Slingsby, B. The blueprint for stress can be found in invertebrates; In *The Stress Response*. Ed. Stefano, GB, Benson, H., Fricchione, GL., and Esch, T. MSI. 2005.
59. Stefano, GB, Fricchione, GL., Slingsby, BT., Is stress stress or a negative manifestation of cognition? In *The Stress Response*. Ed. Stefano, GB, Benson, H., Fricchione, GL., and Esch, T. MSI. 2005.
60. Esch, T, Stefano, GB, Fricchione, GL, Benson, H., An overview of stress and its impact in immunological diseases. In *The Stress Response*. Ed. Stefano, GB, Benson, H., Fricchione, GL., and Esch, T. MSI. 2005.
61. Esch, T, Stefano, GB, Fricchione, GL, Benson, H., The role of stress in neurodegenerative diseases and mental disorders. In *The Stress Response*. Ed. Stefano, GB, Benson, H., Fricchione, GL., and Esch, T. MSI. 2005.
62. Esch, T, Stefano, GB, Fricchione, GL, Benson, H., Stress in cardiovascular diseases. In *The Stress Response*. Ed. Stefano, GB, Benson, H., Fricchione, GL., and Esch, T. MSI. 2005.

63. Esch, T., and Stefano GB, Proinflammation: A common denominator or initiator of different pathophysiological disease processes. In The Stress Response. Ed. Stefano, GB, Benson, H., Frichione, GL., and Esch, T. MSI. 2005.
64. Esch,T, Stefano, GB, Fricchione, GL, Benson, H., Stress-related diseases: A potential role for nitric oxide. In The Stress Response. Ed. Stefano, GB, Benson, H., Frichione, GL., and Esch, T. MSI. 2005.
65. Esch, T., Frichione, GL., Esch, Stefano, GB. The therapeutic use of the relaxation response in stress-related diseases In The Stress Response. Ed. Stefano, GB, Benson, H., Frichione, GL., and Esch, T. MSI. 2005.
66. Slingsby, B., Stefano GB. Trust and belief enhance the ability to break stress-induced rigidity. In The Stress Response. Ed. Stefano, GB, Benson, H., Frichione, GL., and Esch, T. MSI. 2005.
67. Slingsby, B., Stefano GB Placebo: Harnessing the power within. In The Stress Response. Ed. Stefano, GB, Benson, H., Frichione, GL., and Esch, T. MSI. 2005.
68. Stefano GB, Salzet M, Ottaviani E. Neuroimmune chemical messengers and their conservation during evolution. In: Stem Cells in Marine Organisms Springer. 2008.

D. Publications, Reports

1. Stefano GB, Aiello E. Histoflourescent localization of serotonin and dopamine in the nervous system and gill of *Mytilus edulis* (Bivalvia). Biol Bull 1975; 148:141-156.
2. Stefano GB, Catapane EJ, Aiello E. Dopaminergic agents: Influence on serotonin in the molluscan nervous system. Science 1976; 194:539-541.
3. Stefano GB, Catapane EJ. Seasonal monoamine changes in the central nervous system of *Mytilus edulis*. Experientia 1977; 33:1341-1342.
4. Stefano GB, Catapane EJ. The effects of temperature acclimation on monoamine metabolism. J Pharmacol Exp Ther 1977; 203:449-546.
5. Stefano GB, Catapane EJ, Stefano JM. Temperature dependent ciliary rhythmicity in *Mytilus edulis* and the effects of monoaminergic agents on its manifestation. Biol Bull 1977; 153:618-629.
6. Catapane EJ, Stefano GB, Aiello E. Pharmacological study of the reciprocal dual innervation of the lateral ciliated gill epithelium by the CNS of *Mytilus edulis*. J Exp Biol 1978; 74:101-113.

7. Haley JE, Stefano GB, Catapane EJ. Correlation between acidic phospholipids and serotonin and between lysolecithin and dopamine in ganglia of the marine mussel, *Mytilus edulis*. *Experientia* 1978; 34:210-211.
8. Stefano GB, Aiello E. Distribution of radioactivity after administration of 3H-5-hydroxytryptamine by three different routes to the mussel *Mytilus edulis*. *Experientia* 1978; 34:749-750.
9. Stefano GB, Hiripi L, Catapane EJ. The effect of short- and long-term temperature stress on serotonin, dopamine and neuroepinephrine metabolism in molluscan ganglia. *J Thermal Biol* 1978; 3:79-83.
10. Catapane EJ, Stefano GB, Aiello E. Neurophysiological correlates of the dopaminergic Cilio-inhibitory mechanism. *J Exp Biol* 1979; 83:315-323.
11. Stefano GB, Catapane EJ. Enkephalin increases dopamine levels in the CNS of a marine mollusc. *Life Sci* 1979; 24:1617-1622.
12. Stefano GB, Vadesaz I, Hiripi L. Naloxone selectively blocks dopamine response of BR-type neurone in *Helix pomatia*. *Experientia* 1979; 35:1337-1338.
13. Stefano GB, Hiripi L. Methionine-enkephalin and morphine alter monoamine and cyclic nucleotide levels in the cerebral ganglia of the freshwater bivalve *Anodonta cygnea*. *Life Sci* 1979; 25:391-398.
14. Catapane EJ, Collins ED, Marciano JA, Stefano GB. Denervation produces supersensitivity of a serotonergically innervated structure. *Eur J Pharmacol* 1980; 62:111-115.
15. Hiripi L, Stefano GB. Dopamine inhibition of tryptophane hydroxylase in molluscan nervous tissue homogenates: evidence for intracellular site of action. *Life Sci* 1980; 27:1205-1209.
16. Kream RM, Zukin RS, Stefano GB. Demonstration of two classes of opiate binding sites in the nervous tissue of the marine mollusc *Mytilus edulis*. Positive homotropic cooperativity of lower affinity binding sites. *J Biol Chem* 1980; 255:9218-9224.
17. Stefano GB, Vadesaz I, Hiripi L. Methionine enkephalin inhibits the bursting activity of the Br-type neuron in *Helix pomatia*. *Experientia* 1980; 36:666-667.
18. Stefano GB, Catapane EJ. Norepinephrine: its presence in the CNS of the bivalve mollusc, *Mytilus edulis*. *J Exp Zool* 1980; 214:209-213.
19. Stefano GB, Brogan J, Aiello E, Hiripi L. Lanthanum blockade of serotonin release from branchial nerve of the mussel *Mytilus edulis*. *J Exp Zool* 1980; 214:21-26.

20. Stefano GB, Rozsa KS, Hiripi L. Actions of methionine enkephalin and morphine on single neuronal activity in *Helix pomatia*. Comp Biochem Physiol 1980; 66C:193-198.
21. Stefano GB, Kream RM, Zukin RS. Demonstration of stereospecific opiate binding in the nervous tissue of the marine mollusc *Mytilus edulis*. Brain Res 1980; 181:445-450.
22. Stefano GB, Catapane EJ, Aiello E, Hiripi L. The calcium-dependent neuronal release of serotonin and its antagonism by lithium. Journal of Neurobiology 1980; 11(2):179-191.
23. Aiello E, Stefano GB, Catapane EJ. Dual innervation of the foot and the control of foot movement by the central nervous system in *Mytilus edulis*. Comp Biochem Physiol 1981; 69C:25-30.
24. Burrell DE, Stefano GB. Analysis of monoamine accumulations in the neuronal tissues of *Mytilus edulis* (bivalvia) I:Ganglionic variations. Comp Biochem Physiol 1981; 170C:71-76.
25. Stefano GB, Catapane EJ, Kream RM. Characterization of the dopamine stimulated adenylate cyclase in the pedal ganglia of *Mytilus edulis*: Interactions with etorphine, b-endorphin, DALA and methionine enkephalin. Cellular and Molecular Neurobiology 1981; 1:57-68.
26. Stefano GB, Hall B, Makman MH, Dvorkin B. Opioid inhibition of dopamine release from nervous tissue of *Mytilus edulis* and *Octopus bimaculatus*. Science 1981; 213(4510):928-930.
27. Stefano GB, Scharrer B. High affinity binding of and enkephalin analog in the cerebral ganglion of the insect *Leucophaea maderae* (Blattaria). Brain Res 1981; 225:107-114.
28. Stefano GB, Hall B, Makman MH, Dvorkin B. Opioid inhibition of dopamine release from nervous tissue of *Mytilus edulis* and *Octopus bimaculatus*. Science 1981; 213(4510):928-930.
29. Stefano GB, Zukin RS, Kream RM. Evidence for the presynaptic localization of a high affinity opiate binding site on dopamine neurons in the pedal ganglia of *Mytilus edulis*. J Pharmacol Exp Ther 1982; 222:759-764.
30. Stefano GB. Comparative aspects of opioid-dopamine interaction. Cell Mol Neurobiol 1982; 2:167-178.
31. Stefano GB. Aging: Variations in opiate binding characteristics and dopamine responsiveness in subtidal and intertidal *Mytilus edulis* visceral ganglia. Comp Biochem Physiol 1982; 72(C):349-352.

32. Burrowes WR, Assanah P, Stefano GB. Behavioral effects of opiates on the land snail *Helix aspersa*. Life Sciences 1983; 33 Suppl 1:381-384.
33. Stefano GB, Martin R. Enkephalin-like immunoreactivity in the pedal ganglion of *Mytilus edulis* (bivalvia) and its proximity to dopamine-containing structures. Cell Tiss Res 1983; 230:147-154.
34. Leung MK, Stefano GB. Isolation and identification of enkephalin in pedal ganglia of *Mytilus edulis* (mollusca). Proc Natl Acad Sci USA 1984; 81:955-958.
35. Stefano GB, Leung MK. Presence of met-enkephalin-Arg-Phe in molluscan neural tissues. Brain Res 1984; 298:362-365.
36. Aiello E, Hager E, Akiwumi C, Stefano GB. An opioid mechanism modulates central and not peripheral dopaminergic control of ciliary activity in the marine mussel *Mytilus edulis*. Cell Mol Neurobiol 1986; 6:17-30.
37. Martinez EA, Vassell D, Stefano GB. Opioid potentiated chromatophorotropin regulation of pigment migration in the land crab *Gecarcinus lateralis*. Comp Biochem Physiol 1986; 83C:77-82.
38. Ndubuka C, Brown D, Pratt S, Leung MK, Stefano GB. Opiates stimulate food consumption in the land snail *Helix aspersa*. NIDA Monogr 1986; 75:493-496.
39. Leung MK, Stefano GB. Comparative neurobiology of opioids in invertebrates with special attention to senescent alterations. Prog Neurobiol 1987; 28:131-159.
40. Leung MK, Kessler H, Whitfield K, Murray M, Martinez EA, Stefano GB. The presence of enkephalin-like substances in the eyestalk and brain of the land crab *Gecarcinus lateralis*. Cell Mol Neurobiol 1987; 7:91-96.
41. Stefano GB, Leung MK, Zhao X, Scharrer B. Evidence for the involvement of opioid neuropeptides in the adherence and migration of immunocompetent invertebrate hemocytes. Proc Natl Acad Sci USA 1989; 86:626-630.
42. Stefano GB, Zhao X, Bailey D, Metlay M, Leung MK. High affinity dopamine binding to mouse thymocytes and *Mytilus edulis* (Bivalvia) hemocytes. J Neuroimmunol 1989; 21(1):67-74.
43. Stefano GB. Role of opioid neuropeptides in immunoregulation. Prog Neurobiol 1989; 33:149-159.
44. Stefano GB, Cadet P, Scharrer B. Stimulatory effects of opioid neuropeptides on locomotory activity and conformational changes in invertebrate and human immunocytes: Evidence for a subtype of delta receptor. Proc Natl Acad Sci USA 1989; 86:6307-6311.

45. Hughes TK, Smith EM, Cadet P, Sinisterra JI, Leung MK, Shipp MA et al. Interaction of immunoactive monokines (IL-1 and TNF) in the bivalve mollusc *Mytilus edulis*. Proc Natl Acad Sci USA 1990; 87:4426-4429.
46. Shipp MA, Stefano GB, D'Adamio L, Switzer SN, Howard FD, Sinisterra JI et al. Downregulation of enkephalin-mediated inflammatory response by CD10/neutral endopeptidase 24.11. Nature 1990; 347(6291):394-396.
47. Stefano GB, Cadet P, Dokun A, Scharrer B. A neuroimmunoregulatory-like mechanism responding to electrical shock in the marine bivalve *Mytilus edulis*. Brain Behav Immun 1990; 4(4):323-329.
48. Harouse J, Bhat S, Spitalnik S, Laughlin M, Stefano K, Silberberg D et al. Inhibition of entry of HIV-1 in neural cell lines by antibodies against galactosyl ceramide. Science 1991; 253:320-323.
49. Hughes TK, Smith EM, Stefano GB. Detection of immunoreactive Interleukin-6 in invertebrate hemolymph and nervous tissue. Prog Neuroimmune Endocrinol 1991; 4:234-239.
50. Hughes TK, Smith EM, Barnett JA, Charles R, Stefano GB. LPS and opioids activate distinct populations of *Mytilus edulis* immunocytes. Cell Tiss Res 1991; 264:317-320.
51. Hughes TK, Chin R, Smith EM, Leung MK, Stefano GB. Similarities of signal systems in vertebrates and invertebrates: Detection, action, and interactions of immunoreactive monokines in the mussel, *Mytilus edulis*. Adv Neuroimmunol 1991; 1:59-70.
52. Hughes TKJ, Smith EM, Barnett JA, Charles R, Stefano GB. LPS stimulated invertebrate hemocytes: a role for immunoreactive TNF and IL-1. Dev Comp Immunol 1991; 15(3):117-122.
53. Schon JC, Torre-Bueno J, Stefano GB. Microscopic computer-assisted analysis of conformational state: Reference to neuroimmunology. Adv Neuroimmunol 1991; 1:252-259.
54. Shipp MA, Stefano GB, Switzer SN, Griffin JD, Reinherz E. CD10 (CALLA)/neutral endopeptidase 24.11 modulates inflammatory peptide-induced changes in neutrophil morphology, migration, and adhesion proteins and is itself regulated by neutrophil activation. Blood 1991; 78:1834-1841.
55. Smith EM, Hughes TK, Leung MK, Stefano GB. The production and action of ACTH-related peptides in invertebrate hemocytes. Adv Neuroimmunol 1991; 1:7-16.
56. Stefano GB, Smith EM, Hughes TK. Opioid induction of immunoreactive interleukin-1 in *Mytilus edulis* and human immunocytes: an interleukin-1-like substance in invertebrate neural tissue. J Neuroimmunol 1991; 32(1):29-34.

57. Stefano GB. Conformational matching: a stabilizing signal system factor during evolution: Additional evidence in comparative neuroimmunology. *Adv Neuroimmunol* 1991; 1:71-82.
58. Stefano GB, Scharrer B. A possible immunoregulatory function for [Met]-enkephalin-Arg6-Phe7 involving human and invertebrate granulocytes. *J Neuroimmunol* 1991; 31:97.
59. Szucs A, Stefano GB, Hughes TK, Rozsa KS. Various signal molecules modulate voltage-activated ion currents on snail neurons. *Acta Biochimica et Biophysica Hungarica* 1991; 26(1-4):139-143.
60. Duvaux-Miret O, Stefano GB, Smith EM, Capron A. Neuroimmunology of host parasite interactions: proopiomelanocortin derived peptides in the infection by *Schistosoma mansoni*. *Adv Neuroimmunol* 1992; 2:297-311.
61. Duvaux-Miret O, Stefano GB, Smith EM, Mallozzi L, Capron A. Proopiomelanocortin-derived peptides as tools of immune evasion for the human trematode *Schistosoma mansoni*. *Acta Biol Hungari* 1992; 43:281-286.
62. Duvaux-Miret O, Stefano GB, Smith EM, Dissous C, Capron A. Immunosuppression in the definitive and intermediate hosts of the human parasite *Schistosoma mansoni* by release of immunoactive neuropeptides. *Proc Natl Acad Sci USA* 1992; 89:778-781.
63. Paemen LR, Porchet-Hennere E, Masson M, Leung MK, Hughes TK, Stefano GB. Glial localization of interleukin-1a in invertebrate ganglia. *Cell Mol Neurobiol* 1992; 12:463-472.
64. Smith EM, Hughes TK, Cadet P, Stefano GB. CRF induced immunosuppression in human and invertebrate immunocytes. *Cell Mol Neurobiol* 1992; 12:473-482.
65. Smith EM, Hughes TK, Hashemi F, Stefano GB. Immunosuppressive effects of ACTH and MSH and their possible significance in human immunodeficiency virus infection. *Proc Natl Acad Sci USA* 1992; 89:782-786.
66. Stefano GB, Melchiorri P, Negri L, Hughes TK, Scharrer B. (D-Ala2)-Deltorphin I binding and pharmacological evidence for a special subtype of delta opioid receptor on human and invertebrate immune cells. *Proc Natl Acad Sci USA* 1992; 89(19):9316-9320.
67. Stefano GB. Invertebrate and vertebrate immune and nervous system signal molecule commonalities. *Cell Mol Neurobiol* 1992; 12:357-366.
68. Stefano GB, Paemen LR, Hughes TK, Jr. Autoimmunoregulation: differential modulation of CD10/neutral endopeptidase 24.11 by tumor necrosis factor and neuropeptides. *Journal of Neuroimmunology* 1992; 41(1):9-14.

69. Szucs A, Stefano GB, Hughes TK, Rozsa KS. Modulation of voltage-activated ion currents on identified neurons of *Helix pomatia* L. by interleukin-1. *Cellular & Molecular Neurobiology* 1992; 12(5):429-438.
70. Bilfinger TV, Stefano GB. Evidence of immunocyte stimulatory molecules(s) in plasma of patients undergoing cardiopulmonary bypass. *J Cardiovasc Surg* 1993; 34:129-133.
71. Bilfinger TV, Fricchione GL, Stefano GB. Neuroimmune implications of cardiopulmonary bypass. *Adv Neuroimmunol* 1993; 3(4):277-288.
72. Dureus P, Louis D, Grant AV, Bilfinger TV, Stefano GB. Neuropeptide Y inhibits human and invertebrate immunocyte chemotaxis, chemokinesis, and spontaneous activation. *Cellular & Molecular Neurobiology* 1993; 13(5):541-546.
73. Genedani S, Bernardi M, Ottaviani E, Franceschi C, Leung MK, Stefano GB. Differential modulation of invertebrate hemocyte motility by CRF, ACTH, and its fragments. *Peptides* 1993; 15:203-206.
74. Ottaviani E, Paemen LR, Cadet P, Stefano GB. Evidence for nitric oxide production and utilization as a bacteriocidal agent by invertebrate immunocytes. *Eur J Pharmacol* 1993; 248:319-324.
75. Stefano GB, Sawada M, Smith EM, Hughes TK. Selective effects of human immunodeficiency virus (HIV) gp120 on invertebrate neurons. *Cell Mol Neurobiol* 1993; 13:569-577.
76. Stefano GB, Smith EM, Cadet P, Hughes TK. HIV GP120 alteration of DAMA and IL-1a induced chemotactic responses in human and invertebrate immunocytes. *J Neuroimmunol* 1993; 43:177-184.
77. Stefano GB, Bilfinger TV. Human neutrophil and macrophage chemokinesis induced by cardiopulmonary bypass: Loss of DAME and IL-1 chemotaxis. *J Neuroimmunol* 1993; 47:189-198.
78. Stefano GB, Digenis A, Spector S, Leung MK, Bilfinger TV, Makman MH et al. Opiatelike substances in an invertebrate, a novel opiate receptor on invertebrate and human immunocytes, and a role in immunosuppression. *Proc Natl Acad Sci USA* 1993; 90:11099-11103.
79. Fricchione GL, Stefano GB. The stress response and autoimmunoregulation. *Adv Neuroimmunol* 1994; 4:13-28.
80. Fricchione GL, Mendoza A, Stefano GB. Morphine and its psychiatric implications. *Adv Neuroimmunol* 1994; 4:117-132.

81. Sawada M, Ichinose M, Stefano GB. Inhibition of the calcitonin-induced outward current in identified *Aplysia* neurons by interleukin-1 and interleukin-2. *Cell Mol Neurobiol* 1994; 14:175-184.
82. Sonetti D, Ottaviani E, Bianchi F, Rodriguez M, Stefano ML, Scharrer B et al. Microglia in invertebrate ganglia. *Proc Natl Acad Sci USA* 1994; 91:9180-9184.
83. Stefano GB, Kushnerik V, Rodriguez M, Bilfinger TV. Inhibitory effect of morphine on granulocyte stimulation of tumor necrosis factor and substance P. *Int J Immunopharmacol* 1994; 16:329.
84. Stefano GB, Teoh M, Grant A, Reid C, Teoh H, Hughes TK. In vitro effects of electromagnetic fields on immunocytes. *Electro-Magnetobiol* 1994; 13:123-136.
85. Stefano GB, Bilfinger TV, Fricchione GL. The immune neuro-link and the macrophage: Postcardiotomy delirium, HIV-associated dementia and psychiatry. *Prog Neurobiol* 1994; 42:475-488.
86. Stefano GB, Scharrer B. Endogenous morphine and related opiates, a new class of chemical messengers. *Adv Neuroimmunol* 1994; 4:57-68.
87. Carpenter DO, Kemenes G, Elekes K, Leung MK, Stefano GB, Rozsa KS et al. Opioid peptides in the nervous system of *Aplysia*: a combined biochemical, immunocytochemical and electrophysiological study. *Cell Mol Neurobiol* 1995; 15:239-258.
88. Dobrenis K, Makman MH, Stefano GB. Occurrence of the opiate alkaloid-selective m3 receptor in mammalian microglia, astrocytes and kupffer cells. *Brain Res* 1995; 686:239-248.
89. Leung MK, Dissous C, Capron A, Woldegaber H, Duvaux-Miret O, Pryor SC et al. *Schistosoma mansoni*: The presence and potential use of opiate-like substances. *Exp Parasit* 1995; 81:208-215.
90. Makman MH, Bilfinger TV, Stefano GB. Human granulocytes contain an opiate receptor mediating inhibition of cytokine-induced activation and chemotaxis. *J Immunol* 1995; 154:1323-1330.
91. Makman MH, Dvorkin B, Stefano GB. Murine macrophage cell lines contain m3-opiate receptors. *Eur J Pharmacol* 1995; 273:R5-R6.
92. Ottaviani E, Franchini A, Sonetti D, Stefano GB. Antagonizing effect of morphine on the mobility and phagocytic activity of invertebrate immunocytes. *Eur J Pharmacol* 1995; 276:35-39.
93. Stefano GB, Fricchione GL. The biology of deception: Emotion and morphine. *Med Hypotheses* 1995; 49:51-54.

94. Stefano GB, Fricchione GL. The biology of deception: The evolution of cognitive coping as a denial-like process. *Med Hypotheses* 1995; 44:311-314.
95. Stefano GB, Rodriguez M, Glass R, Casares F, Hughes TK, Bilfinger TV. Hyperstimulation of leukocytes by plasma obtained from cardiopulmonary bypass patients is diminished by morphine and IL- 10 pretreatment. *J Cardiovasc Surg* 1995; 36:25-30.
96. Stefano GB, Leung MK, Bilfinger TV, Scharrer B. Effect of prolonged exposure to morphine on responsiveness of human and invertebrate immunocytes to stimulatory molecules. *J Neuroimmunol* 1995; 63:175-181.
97. Stefano GB, Casares F, Liu Y. Naltrindole sensitive d2 opioid receptor mediates invertebrate immunocyte activation. *Acta Hungaria* 1995;321-327.
98. Stefano GB, Hartman A, Bilfinger TV, Magazine HI, Liu Y, Casares F et al. Presence of the mu3 opiate receptor in endothelial cells. Coupling to nitric oxide production and vasodilation. *Journal of Biological Chemistry* 1995; 270(51):30290-30293.
99. Stefano GB, Fricchione GL. The biology of deception: The reluctance to accept the cognitive animal. *Med Hypotheses* 1995; 45:190-193.
100. Bilfinger TV, Stefano GB. Cellular aspects of cardiopulmonary bypass surgery. *Int J Cardiol* 1996; 53S:R7.
101. Bilfinger TV, Hughes TK, Rodriguez M, Glass R, Casares F, Stefano GB. Hyperstimulation of leukocytes by plasma from cardiopulmonary bypass patients is diminished by a-MSH pretreatment. *Int J Cardiol* 1996; 53:S47-S54.
102. Bilfinger TV, Hartman A, Liu Y, Magazine HI, Stefano GB. Morphine stimulates in vitro nitric oxide production in human blood vessels inhibiting the adherence of granulocytes and monocytes: This activity is not present in cryopreserved vessels. In review 1996.
103. Bilfinger TV, Kushnerik V, Bundz S, Liu Y, Stefano GB. Evidence for morphine downregulating immunocytes during cardiopulmonary bypass in a porcine model. *Int J Cardiol* 1996; 53:S39-S46.
104. Fricchione GL, Bilfinger TV, Stefano GB. The macrophage and neuropsychiatric disorders. *Neurobiol* 1996; 9:16-29.
105. Fricchione GL, Bilfinger TV, Hartman A, Liu Y, Stefano GB. Neuroimmunologic implications in coronary artery disease. *Adv Neuroimmunol* 1996; 6:131-142.
106. Fricchione GL, Bilfinger TV, Jandorf L, Smith EM, Stefano GB. Surgical anticipatory stress manifests itself in immunocyte desensitization: evidence for autoimmunoregulatory involvement. *Int J Cardiol* 1996; 53:S65-S74.

107. Liu Y, Bilfinger TV, Stefano GB. A rapid and sensitive quantitation method of endogenous morphine in human plasma. *Life Sci* 1996; 60(3):237-243.
108. Liu Y, Magazine HI, King J, Stefano GB. Endothelins as neuroregulatory signal molecules. *Anim Biol* 1996; 1:25-28.
109. Liu Y, Stefano GB. HIV Gp120 inhibits human and invertebrate immunocyte phagocytosis. *Chinese J Immunol* 1996; 12:139-142.
110. Liu Y, Casares F, Stefano GB. D2 opioid receptor mediates immunocyte activation. *Chinese J Neuroimmunol and Neurol* 1996; 3(2):69-72.
111. Liu Y, Shenouda D, Bilfinger TV, Stefano ML, Magazine HI, Stefano GB. Morphine stimulates nitric oxide release from invertebrate microglia. *Brain Res* 1996; 722:125-131.
112. Magazine HI, Liu Y, Bilfinger TV, Fricchione GL, Stefano GB. Morphine-induced conformational changes in human monocytes, granulocytes, and endothelial cells and in invertebrate immunocytes and microglia are mediated by nitric oxide. *J Immunol* 1996; 156:4845-4850.
113. Rozsa KS, Rubakhin SS, Szucs A, Stefano GB. Met-enkephalin and morphine modulate a GABA-induced inward current in the CNS of *Lymnaea stagnalis* L. *Gen Pharmacol* 1996; 27(8):1337-1345.
114. Sawada M, Ichinose M, Stefano GB. Inhibition of the met-enkephalin induced K⁺ current in B cluster neurons of *Aplysia* by nitric oxide donor. *Brain Res* 1996; 740:124-130.
115. Scharrer B, Paemen LR, Smith EM, Hughes TK, Liu Y, Pope M et al. The presence and effects of mammalian signal molecules in immunocytes of the insect *Leucophaea madarae*. *Cell Tiss Res* 1996; 283:93-97.
116. Soeparwata R, Hartman A, Frerichmann U, Stefano GB, Scheld HH, Bilfinger TV. Aprotinin diminishes inflammatory processes. *Int J Cardiol* 1996; 53:S55-S64.
117. Stefano GB, Scharrer B. The presence of the m3 opiate receptor in invertebrate neural tissues. *Comp Biochem Physiol* 1996; 113C(3):369-373.
118. Stefano GB, Liu Y, Goligorsky MS. Cannabinoid receptors are coupled to nitric oxide release in invertebrate immunocytes, microglia, and human monocytes. *J Biol Chem* 1996; 271:19238-19242.
119. Stefano GB, Scharrer B, Smith EM, Hughes TK, Magazine HI, Bilfinger TV et al. Opioid and opiate immunoregulatory processes. *Crit Rev in Immunol* 1996; 16(2):109-144.

120. Stefano GB, Salzet M. Characterization and coupling of the leech CNS cannabinoid receptor to nitric oxide release. *J Biol Chem* 1996.
121. Stefano GB, Liu Y. Opiate antagonism of opioid actions on immunocyte activation and nitric oxide release. *Anim Biol* 1996; 1:11-16.
122. Stefano GB, Scharrer B, Bilfinger TV, Salzet M, Fricchione GL. A novel view of opiate tolerance. *Adv Neuroimmunol* 1996; 6:265-277.
123. Stefano GB, Scharrer B, Fricchione GL. Endogenous morphine and the physiological significance of tolerance in amplification brain phenomena. In review 1996.
124. Stefano GB, Smith EM. Adrenocorticotropin, a central trigger in immune responsiveness: Tonal inhibition of immune activation. *Med Hypotheses* 1996; 46:471-478.
125. Bilfinger TV, Hartman A, Liu Y, Magazine HI, Stefano GB. Nitric oxide in homograft vein function. *Ann Thorac Surg* 1997; 64(5):1524-1525.
126. Bilfinger TV, Hartman AR, Liu Y, Magazine HI, Stefano GB. Cryopreserved veins in myocardial revascularization: possible mechanism for their increased failure. *Annals of Thoracic Surgery* 1997; 63(4):1063-1069.
127. Brix-Christensen V, Tonnesen E, Sanchez RG, Bilfinger TV, Stefano GB. Endogenous morphine levels increase following cardiac surgery as part of the antiinflammatory response? *Int J Cardiol* 1997; 62:191-197.
128. Chopin V, Bilfinger TV, Stefano GB, Matias I, Salzet M. Structural characterization and biological activity of CYTIN, a naturally occurring specific chymotrypsin inhibitor from the rhynchobdellid leech *Theromyzon tessulatum*. *Eur J Biochem* 1997; 249:733-738.
129. Christensen VB, Tonnesen E, Sorensen IJ, Bilfinger TV, Sanchez RG, Stefano GB. Effects of anaesthesia based on high versus low doses of opioids on the cytokine and acute-phase protein responses in patients undergoing cardiac surgery. *Acta Anaesthesiol Scand* 1997; 41:1-8.
130. Deutsch DG, Goligorsky MS, Schmid PC, Krebsbach RJ, Schmid HHO, Das SK et al. Production and physiological actions of anandamide in the vasculature of the rat kidney. *Journal of Clinical Investigation* 1997; 100:1538-1546.
131. Fricchione GL, Cytryn L, Bilfinger TV, Stefano GB. Cell behavior and signal molecule involvement in a case study of malignant histiocytosis: a negative model of morphine as an immunoregulator. *Am J Hematol* 1997; 56:197-205.
132. King JM, Srivastava KD, Stefano GB, Bilfinger TV, Bahou WF, Magazine HI. Human monocyte adhesion is modulated by endothelin B receptor-coupled nitric oxide release. *J Immunol* 1997; 158:880-886.

133. Laurent V, Stefano GB, Salzet M. The leech angiotensin-converting enzyme. *Ann N Y Acad Sci* 1997; 839:500-502.
134. Laurent V, Stefano GB, Salzet M. Presence and biochemical properties of a molluscan invertebrate angiotensin-converting enzyme. *Reg Peptides* 1997; 69:53-61.
135. Mattocks DW, Salzet M, Salzet B, Stefano GB. Anandamide-induced conformational changes in leech and mussel immunocytes are mediated by nitric oxide. *Anim Biol* 1997; 6:73-77.
136. Rozsa KS, Rubakhin SS, Szucs A, Hughes TK, Stefano GB. Opposite effects of IL-2 and -4 on GABA-induced inward currents in dialyzed *Lymnaea* neurons. *Gen Pharmacol* 1997; 29(1):73-77.
137. Salzet M, Cocquerelle C, Verger-Bocquet M, Pryor SC, Rialas CM, Laurent V et al. Leech immunocytes contain proopiomelanocortin: nitric oxide mediates hemolymph POMC processing. *J Immunol* 1997; 159(11):5400-5411.
138. Salzet M, Stefano GB. A renin-like enzyme in the leech *Theromyzon tessulatum*. *Mol Cell Endocrinol* 1997; 131:1-8.
139. Salzet M, Stefano GB. Invertebrate proenkephalin: Delta opioid binding sites in leech ganglia and immunocytes. *Brain Res* 1997; 768(224):232.
140. Salzet M, Stefano GB. Prodynorphin in invertebrates. *Mol Brain Res* 1997; 52:46-52.
141. Sawada M, Ichinose M, Stefano GB. Nitric oxide inhibits the dopamine-induced K⁺ current via guanylate cyclase in *Aplysia* neurons. *J Neurosci Res* 1997; 50(3):450-456.
142. Sonetti D, Ottaviani E, Stefano GB. Opiate signaling regulates microglia activities in the invertebrate nervous system. *Gen Pharmacol* 1997; 29(1):39-47.
143. Stefano GB, Salzet M, Salzet B. HIV GP120 induces chemokinesis in invertebrate immunocytes. *Anim Biol* 1997; 6:61-66.
144. Stefano GB, Salzet B, Rialas CM, Pope M, Kustka A, Neenan K et al. Morphine and anandamide stimulated nitric oxide production inhibits presynaptic dopamine release. *Brain Res* 1997; 763:63-68.
145. Stefano GB, Christensen VB, Tonnesen E, Liu Y, Hughes TK, Bilfinger TV. Interleukin 10 stimulation of endogenous nitric oxide release from human saphenous veins diminishes immunocyte adherence. *J Cardiovasc Pharmacol* 1997; 30:90-95.
146. Stefano GB, Salzet B, Salzet M. Identification and characterization of the leech CNS cannabinoid receptor: Coupling to nitric oxide release. *Brain Res* 1997; 753:219-224.

147. Vandenbulcke F, Laurent V, Verger-Bocquet M, Stefano GB, Salzet M. Biochemical identification and ganglionic localization of leech angiotensin-converting enzymes. *Mol Brain Res* 1997; 49:229-237.
148. Bilfinger TV, Stefano GB. Downregulating the diffuse inflammatory potential following surgery-Preface. *Int J Cardiol* 1998; 64(Suppl 1):S1.
149. Bilfinger TV, Salzet M, Fimiani C, Deutsch DG, Stefano GB. Pharmacological evidence for anandamide amidase in human cardiac and vascular tissues. *Int J Cardiol* 1998; 64(1):S15-S22.
150. Bilfinger TV, Fimiani C, Stefano GB. Morphine's immunoregulatory actions are not shared by fentanyl. *Int J Cardiol* 1998; 64(S1):61-66.
151. Brix-Christensen V, Tonnesen E, Sorensen IJ, Bilfinger TV, Sanchez RG, Stefano GB. Effects of anesthesia based on high versus low doses of opiate on the cytokine and acute phase protein responses in patients undergoing cardiac surgery. *Acta Anaesthesiol Scand* 1998; 42:63-70.
152. Chopin V, Stefano GB, Salzet M. Tessulin: a new trypsin-cathepsin G inhibitor from the leech *Theromyzon tessulatum*. *Eur J Biochem* 1998; 254(3):565-570.
153. Chopin V, Matias I, Stefano GB, Salzet M. Amino acid sequence determination and biological activity of therin, a naturally occurring specific trypsin inhibitor from the leech *Theromyzon tessulatum*. *Eur J Biochem* 1998; 254(3):565-570.
154. Fimiani C, Liberty T, Aquirre AJ, Amin I, Ali N, Stefano GB. Opiate, cannabinoid, and eicosanoid signaling converges on common intracellular pathways: Nitric oxide coupling. *Prostaglandins* 1998; 57:23-34.
155. Fricchione GL, Bilfinger TV, Stefano GB. Aspirin inhibits granulocyte and monocyte adherence to saphenous vein endothelia in a process not mediated by nitric oxide. *Int J Cardiol* 1998; 64(1):S29-S33.
156. Li YF, Wang JX, Shao L, Ding GF, Ottaviani E, Stefano GB et al. Naltrexone suppresses the rejection of cardiac tissue transplantation. *Int J Cardiol* 1998; 64(1):S23-S27.
157. Prevot V, Rialas C, Croix D, Salzet M, Dupouy J-P, Puolain P et al. Morphine and anandamide coupling to nitric oxide stimulated GnRH and CRF release from rat median eminence: neurovascular regulation. *Brain Res* 1998; 790(1-2):236-244.
158. Rialas C, Bilfinger TV, Salzet M, Stefano GB. Endomorphin 1 and 2 do not interact with the m₃ opiate receptor subtype. *Acta Pharmacol Sin* 1998; 19:403-407.
159. Salzet B, Stefano GB, Verger-Bocquet M, Salzet M. Putative leech dopamine₁-like receptor molecular characterization: sequence homologies between dopamine and

serotonin leech CNS receptors explain pharmacological cross-reactivities. Brain Research: Molecular Brain Research 1998; 58(1-2):47-58.

160. Salzet M, Salzet B, Sautiere P, Lesage L, Beauvillain JC, Bilfinger TV et al. Isolation and characterization of a leech neuropeptide in rat brain: coupling to nitric oxide release in leech, rat and human tissues. Mol Brain Res 1998; 55:173-179.
161. Salzet M, Salzet B, Tasiemski A, Goumon Y, Metz MH, Aunis D et al. LPS and surgical trauma increase enkephalin and enkelytin levels in invertebrate hemolymph: Processing by neutral endopeptidase. Mol Brain Res 1998; 76:237-252.
162. Salzet M, Stefano GB. Evidence for an invertebrate neuroendocrine system: Neuropeptide processing in leech-host communication. Research Trends 1998; 5:85-98.
163. Stefano GB, Salzet-Raveillon B, Salzet M. *Mytilus edulis* hemocytes contains pro-opiomelanocortin: LPS and morphine stimulate differential processing. Mol Brain Res 1998; 63:340-350.
164. Stefano GB, Salzet M, Rialas C, Mattocks DW, Fimiani C, Bilfinger TV. Macrophage behavior associated with acute and chronic exposure to HIV GP120, morphine and anandamide: endothelial implications. Int J Cardiol 1998; 64(1):S3-S13.
165. Stefano GB, Salzet M, Bilfinger TV. Long-term exposure of human blood vessels to HIV gp120, morphine and anandamide increases endothelial adhesion of monocytes: Uncoupling of Nitric Oxide. J Cardiovasc Pharmacol 1998; 31:862-868.
166. Stefano GB, Salzet M, Hughes TK, Shao L, Wang Y, Bilfinger TV. μ_2 opioid receptor subtype on human vascular endothelium uncouples morphine stimulated nitric oxide release. Int J Cardiol 1998; 64(1):S43-S51.
167. Stefano GB, Salzet-Raveillon B, Salzet M. *Mytilus edulis* hemolymph contain prodynorphin. Immunol Lett 1998; 63:33-39.
168. Stefano GB, Salzet M, Magazine HI, Bilfinger TV. Antagonist of LPS and IFN- γ induction of iNOS in human saphenous vein endothelium by morphine and anandamide by nitric oxide inhibition of adenylate cyclase. J Cardiovasc Pharmacol 1998; 31:813-820.
169. Stefano GB, Salzet B, Fricchione GL. Enkelytin and opioid peptide association in invertebrates and vertebrates: immune activation and pain. Immunol Today 1998; 19(6):265-268.
170. Stefano GB, Rialas CM, Deutsch DG, Salzet M. Anandamide amidase inhibition enhances anandamide-stimulated nitric oxide release in invertebrate neural tissues. Brain Res 1998; 793:341-345.

171. Stefano GB, Prevot V, Beauvillain JC, Hughes TK. Interleukin-10 stimulation of corticotrophin releasing factor median eminence in rats: evidence for dependence upon nitric oxide production. *Neurosci Lett* 1998; 256:167-170.
172. Stefano GB. Autoimmunovascular regulation: morphine and anandamide stimulated nitric oxide release. *Journal of Neuroimmunology* 1998; 83:70-76.
173. Tonnesen E, Brix-Christensen V, Bilfinger TV, Sanchez RG, Stefano GB. Endogenous morphine levels increase following cardiac surgery: Decreasing proinflammatory cytokine levels and immunocyte activity. *J Int Cardiol* 1998; 62:191-197.
174. Zhong F, Li XY, Yang S, Stefano GB, Fimiani C, Bilfinger TV. Methionine-enkephalin stimulates interleukin-6 mRNA expression: Human plasma levels in coronary artery bypass grafting. *Int J Cardiol* 1998; 64(1):S53-S59.
175. Bouret S, Prevot V, Croix D, Jegou S, Vaundry H, Stefano GB. μ opioid receptor mRNA in proopiomelanocortin-mRNA expressing rat arcuate nucleus neurons: Autoregulation. *Mol Brain Res* 1999; 70:155-158.
176. Cadet P, Stefano GB. *Mytilus edulis* pedal ganglia express μ opiate receptor transcripts exhibiting high sequence identity with human neuronal μ 1. *Mol Brain Res* 1999; 74:242-246.
177. Fimiani C, Mattocks DW, Cavani F, Salzet M, Deutsch DG, Pryor SC et al. Morphine and anandamide stimulate intracellular calcium transients in human arterial endothelial cells: coupling to nitric oxide release. *Cellular Signaling* 1999; 11(3):189-193.
178. Fimiani C, Arcuri E, Santoni A, Rialas C, Bilfinger TV, Peter D et al. μ 3 opiate receptor expression in lung and lung carcinoma: Ligand binding and coupling to nitric oxide release. *Cancer Letters* 1999; 146(1):45-51.
179. Fimiani C, Liberty T, Aquirre AJ, Amin I, Ali N, Stefano GB. Opiate, cannabinoid, and eicosanoid signaling converges on common intracellular pathways: Nitric oxide coupling. *Prostaglandins & other Lipid Mediators* 1999; 57(1):23-34.
180. Gollub RL, Hui KKS, Stefano GB. Acupuncture: Pain management coupled to immune stimulation. *Acta Pharmacol Sin* 1999; 20(9):769-777.
181. Nieto-Fernandez FE, Mattocks DW, Cavani F, Salzet M, Stefano GB. Morphine coupling to invertebrate immunocyte nitric oxide release is dependent on intracellular calcium transients. *Comp Biochem Physiol* 1999; 123(3):295-299.
182. Prevot V, Croix D, Rialas CM, Puolain P, Fricchione GL, Stefano GB et al. Estradiol coupling to endothelial nitric oxide production stimulates GnRH release from rat median eminence. *Endocrinol* 1999; 140(2):652-659.

183. Prevot V, Croix D, Bouret S, Dutoit S, Tramu G, Stefano GB et al. Definitive evidence for the existence of plasticity in the external zone of the median eminence during the rat estrous cycle: implication of neuro-glio-endothelial interactions in the GnRH release. *Neuroscience* 1999; 94(3):809-819.
184. Salzet M, Vieau D, Stefano GB. Serpins: An evolutionarily conserved survival strategy. *Immunol Today* 1999; 20(12):541-544.
185. Smith EM, Opp MR, Stefano GB, Hughes TK. Interleukin-10 as a potential mediator of the hypothalamic-pituitary-adrenal axis and central nervous system. *J Neuroimmunol* 1999; 100:140-148.
186. Sonetti D, Mola L, Casares F, Bianchi E, Guarna M, Stefano GB. Endogenous morphine levels increase in molluscan neural and immune tissues after physical trauma. *Brain Res* 1999; 835(2):137-147.
187. Stefano GB, Kahoud J, Hughes J. Inhibition of microglial egress in excised ganglia by human interleukin 10: Implications for its activity in invertebrates. *Acta Biol Hungari* 1999; 50(1-3):247-256.
188. Stefano GB, Salzet M. Invertebrate opioid precursors: evolutionary conservation and the significance of enzymatic processing. *Int Rev Cytol* 1999; 187:261-286.
189. Stefano GB. Substance abuse and HIV-gp120: Are opiates protective? *Arch Immunologiae et Therapiae Experimentalis* 1999; 47:99-106.
190. Stefano GB. The μ_3 opiate receptor subtype. *Pain Forum* 1999; 8:206-209.
191. Stefano GB, Prevot V, Beauvillain JC, Fimiani C, Welters I, Cadet P et al. Estradiol coupling to human monocyte nitric oxide release is dependent on intracellular calcium transients: Evidence for an estrogen surface receptor. *J Immunol* 1999; 163:3758-3763.
192. Welters I, Fimiani C, Bilfinger TV, Stefano GB. NF-kB, nitric oxide and opiate signaling. *Medical Hypotheses* 1999; 54(2):263-268.
193. Bilfinger TV, Vosswinkel JA, Rialas C, Krukenkamp IB, Stefano GB. Functional assessment of disease free saphenous vein grafts at redo coronary artery bypass grafting. *Ann Thorac Surg* 2000; 69(4):1183-1187.
194. Bilfinger TV, Stefano GB. Human aortocoronary grafts and nitric oxide release: Relationship to pulsatile pressure. *Annals of Thoracic Surgery* 2000; 69:480-485.
195. Bouret S, Prevot V, Croix D, Viltart O, Stefano GB, Mitchell V et al. m Opioid receptor mRNA expression in neuronal nitric oxide synthase-immunopositive preoptic area neurons. *Mol Brain Res* 2000; 80:46-52.

196. Brix-Christensen V, Goumon Y, Tonnesen E, Chew M, Bilfinger TV, Stefano GB. Endogenous morphine is produced in response to cardiopulmonary bypass in neonatal pigs. *Acta Anaesthesiologica Scandinavica* 2000; 44(10):1204-1208.
197. Cadet P, Bilfinger TV, Fimiani C, Peter D, Stefano GB. Human vascular and cardiac endothelia express mu opiate receptor transcripts. *Endothelium* 2000; 7:185-191.
198. Chopin V, Stefano G, Salzet M. Biochemical evidence of specific trypsin-chymotrypsin inhibitors in the rhynchobdellid leech, *Theromyzon tessulatum*. *Journal of Enzyme Inhibition* 2000; 15(4):367-379.
199. de la Torre JC, Stefano GB. Evidence that Alzheimer's disease is a microvascular disorder: The role of constitutive nitric oxide. *Brain Res Rev* 2000; 34:119-136.
200. Fimiani C, Magazine HI, Welters I, Bilfinger TV, Salsano F, Tonnesen E et al. Antagonism of LPS and IFN-g induced iNOS expression in human atrial endothelia by morphine, anandamide and estrogen. *Acta Pharmacol Sinica* 2000; 21(5):P405-P409.
201. Goumon Y, Stefano GB. Identification of Morphine in the Rat Adrenal Gland. *Mol Brain Res* 2000; 77:267-269.
202. Goumon Y, Lugardon K, Gadroy P, Strub JM, Welters ID, Stefano GB et al. Processing of proenkephalin-A in bovine chromaffin cells. Identification of natural derived fragments by N-terminal sequencing and matrix-assisted laser desorption ionization-time of flight mass spectrometry. *Journal of Biological Chemistry* 2000; 275(49):38355-38362.
203. Goumon Y, Casares F, Pryor S, Ferguson L, Brownwell B, Cadet P et al. *Ascaris suum*, an internal parasite, produces morphine. *J Immunol* 2000; 165(1):339-343.
204. Goumon Y, Bouret S, Casares F, Zhu W, Beauvillain JC, Stefano GB. Lipopolysaccharide increases endogenous morphine levels in rat brain. *Neuroscience Letters* 2000; 293(2):135-138.
205. Goumon Y, Weeks BS, Cadet P, Stefano GB. Identification of morphine in the adrenal medullary chromaffin PC-12 cell line. *Mol Brain Res* 2000; 81:177-180.
206. Magazine HI, Chang J, Goumon Y, Stefano GB. Rebound from nitric oxide inhibition triggers enhanced monocyte activation and chemotaxis. *J Immunol* 2000; 165(1):102-107.
207. Prevot V, Bouret S, Stefano GB, Beauvillain JC. Median eminence nitric oxide signaling. *Brain Res Rev* 2000; 34:27-41.
208. Rialas C, Weeks BS, Cadet P, Goumon Y, Stefano GB. Nociceptin, endomorphin-1 and -2 do not interact with invertebrate immune and neural m₃ opiate receptor. *Acta Pharmacol Sinica* 2000; 21(6):516-520.

209. Saeed RW, Stefano GB, Qi F, Short TW, Bilfinger TV, Magazine HI. Expression of delta opioid receptor in vascular smooth muscle. *International Journal of Molecular Medicine* 2000; 6(6):673-677.
210. Salzet M, Capron A, Stefano GB. Molecular crosstalk in host-parasite relationships: Schistosome- and leech-host interactions. *Parasitology Today* 2000; 16(12):536-540.
211. Slingsby BT, Stefano GB. Placebo: Harnessing the power within. *Modern Aspects of Immunobiology* 2000; 1(4):144-146.
212. Stefano GB, Stefano JM. Cannabinoids: New antihypertensive agents? *Curr Opin Clinical Exper Res* 2000; 2:205-223.
213. Stefano GB. Endocannabinoid immune and vascular signaling. *Acta Pharmacologica Sinica* 2000; 21(12):1071-1081.
214. Stefano GB, Prevot V, Beauvillain JC, Bilfinger TV, Fimiani C, Welters I et al. Acute exposure of estrogen to human endothelia results in nitric oxide release mediated by an estrogen surface receptor coupled to intracellular calcium transients. *Circulation* 2000; 101:1594-1597.
215. Stefano GB, Goumon Y, Bilfinger TV, Welters I, Cadet P. Basal nitric oxide limits immune, nervous and cardiovascular excitation: Human endothelia express a mu opiate receptor. *Progress in Neurobiology* 2000; 60:531-544.
216. Stefano GB, Cadet P, Breton C, Goumon Y, Prevot V, Dessaint JP et al. Estradiol-stimulated nitric oxide release in human granulocytes is dependent on intracellular calcium transients: Evidence for a cell surface estrogen receptor. *Blood* 2000; 95(12):3951-3958.
217. Stefano GB, Goumon Y, Casares F, Cadet P, Fricchione GL, Rialas C et al. Endogenous morphine. *Trends in Neurosciences* 2000; 9:436-442.
218. Stefano GB. Fentanyl does not exhibit naloxone sensitive immune and vascular regulatory actions. *Curr Opin Clinical Exper Res* 2000; 2(3):117-129.
219. Stefano GB, Weeks BS, Cadet P. GP120 promotes HIV survival by distracting immune surveillance. *Modern Aspects of Immunobiology* 2000; 1(2):63-68.
220. Stefano GB, Bilfinger TV, Rialas CM, Deutsch DG. 2-Arachidonyl-glycerol stimulates nitric oxide from human immune and vascular tissues and invertebrate immunocytes by cannabinoid receptor 1. *Pharmacological Research* 2000; 42(4):317-322.
221. Tasiemski A, Salzet M, Benson H, Fricchione GL, Bilfinger TV, Goumon Y et al. The presence of opioid and antibacterial peptides in human plasma during coronary artery bypass surgery. *J Neuroimmunol* 2000; 109:228-235.

222. Tasiemski A, Verger-Bocquet M, Cadet M, Goumon Y, Metz-Boutigue MH, Aunis D et al. Proenkephalin A-derived peptides in invertebrate innate immune processes. *Brain Res Mol Brain Res* 2000; 76(2):237-252.
223. Welters ID, Menzebach A, Goumon Y, Cadet P, Menges T, Hughes TK et al. Morphine inhibits NF-kB nuclear binding in human neutrophils and monocytes by a nitric oxide dependent mechanism. *Anesthesiol* 2000; 92(6):1677-1684.
224. Welters ID, Menzebach A, Goumon Y, Langefeld TW, Teschemacher H, Hempelmann G et al. Morphine suppresses complement receptor expression, phagocytosis, and respiratory burst in neutrophils by a nitric oxide and mu(3) opiate receptor-dependent mechanism. *J Neuroimmunol* 2000; 111(1-2):139-145.
225. Cadet P, Manton K, Bilfinger TV, Stefano GB. Real-time RT-PCR measurement of the modulation of Mu opiate receptor expression by nitric oxide in human mononuclear cells. *Med Sci Monit* 2001; 7(6):1123-1128.
226. Cadet P, Weeks BS, Bilfinger TV, Manton K, Casares F, Stefano GB. HIV gp120 and morphine alter mu opiate receptor expression in human vascular endothelium. *International Journal of Molecular Medicine* 2001; 8(2):165-169.
227. Fricchione GL, Daly R, Rogers MP, Stefano GB. Neuroimmunologic influences in neuropsychiatric and psychophysiologic disorders. *Acta Pharmacol Sinica* 2001; 22(7):577-587.
228. Goumon Y, Casares F, Zhu W, Stefano GB. The presence of morphine in ganglionic tissues of *Modiolus deminissus*: A highly sensitive method of quantitation for morphine and its derivatives. *Mol Brain Res* 2001; 86:184-188.
229. Hofbauer R, Frass M, Kaye AD, Gmeiner B, Stefano GB. Frequency of placebo citations in biomedical science: A computerized database search. *Placebo* 2001; 1:7-10.
230. Knauf C, Prevot V, Stefano GB, Mortreux G, Beauvillain JC, Croix D. Evidence for a spontaneous nitric oxide release from the rat median eminence: Influence on gonadotropin-releasing hormone release. *Endocrinology* 2001; 142(6):2343-2350.
231. Salzet M, Stefano GB. Evidence for annelid neuroendocrine system: Evolutionarily conserved mechanisms. *Placebo* 2001; 2(3):54-72.
232. Slingsby BT, Stefano GB. The active ingredients in the sugar pill: Trust and belief. *Placebo* 2001; 2(2):33-38.
233. Stefano GB, Cadet P, Fimiani C, Magazine HI. Morphine stimulates iNOS expression via a rebound from inhibition in human macrophages: nitric oxide involvement. *International Journal of Immunopathology and Pharmacology* 2001; 14:129-138.

234. Stefano GB, Cadet P. Computer-assisted microscopic image analysis in immunology. *Chemotaxis and Migration* 2001; 2(52):59.
235. Stefano GB, Fricchione GL, Slingsby BT. Is stress stress? *Placebo* 2001; 3(4):101-110.
236. Stefano GB, Peter D. Cell surface estrogen receptors coupled to cNOS mediate immune and vascular tissue regulation: Therapeutic implications. *Medical Science Monitor* 2001; 7(5):1066-1074.
237. Stefano GB, Magazine HI. Nitric oxide autoregulation and its significance. *Modern Aspects of Immunobiology* 2001; 1:182-186.
238. Stefano GB, Fricchione GL, Slingsby BT, Benson H. The placebo effect and relaxation response: Neural processes and their coupling to constitutive nitric oxide. *Brain Research: Brain Research Reviews* 2001; 35(1):1-19.
239. Stefano GB, Murga J, Benson H, Zhu W. Nitric oxide inhibits norepinephrine stimulated contraction of human internal thoracic artery and rat aorta. *Pharmacol Res* 2001; 43(2):199-203.
240. Stefano GB, Neenan K, Cadet P, Magazine HI, Bilfinger TV. Ischemic preconditioning - an opiate constitutive nitric oxide molecular hypothesis. *Med Sci Monit* 2001; 7(6):1357-1375.
241. Stefano GB, Prevot V, Cadet P, Dardik I. Vascular pulsations stimulating nitric oxide release during cyclic exercise may benefit health: a molecular approach (review). *International Journal of Molecular Medicine* 2001; 7(2):119-129.
242. Weeks BS, Goldman S, Touma S, Payne M, Cadet P, Stefano GB. Morphine inhibits indolactam V-induced U937 cell adhesion and gelatinase secretion. *J Cell Physiol* 2001; 189(2):179-188.
243. Weeks BS, Alston J, Cadet P, Zhu W, Rialas CM, Stefano GB. Morphine reduces herpes Simplex virus-1 pathogenesis in murine flank. *International Journal of Molecular Medicine* 2001; 8(3):303-307.
244. Zhu W, Bilfinger TV, Baggerman G, Goumon Y, Stefano G. Presence of endogenous morphine and morphine 6 glucuronide in human heart tissue. *International Journal of Molecular Medicine* 2001; 7(4):419-422.
245. Zhu W, Baggerman G, Goumon Y, Casares F, Brownawell B, Stefano GB. Presence of morphine and morphine-6-glucuronide in the marine mollusk *Mytilus edulis* ganglia determined by GC/MS and Q-TOF-MS. Starvation increases opiate alkaloid levels. *Brain Res Mol Brain Res* 2001; 88(1-2):155-160.

246. Zhu W, Bilfinger TV, Baggerman G, Goumon Y, Stefano GB. Presence of endogenous morphine and morphine 6 glucuronide in human heart tissue. *International Journal of Molecular Medicine* 2001; 7(4):419-422.
247. Zhu W, Baggerman G, Goumon Y, Zenk MH, Stefano GB. Identification of morphine and morphine-6-glucuronide in the adrenal medullary chromaffin PC-12 cell line by nano electrospray ionization double quadrupole orthogonal acceleration time of flight mass spectrometry. *Eur J of Mass Spect* 2001; 7:25-28.
248. Benz D, Cadet P, Mantione K, Zhu W, Stefano GB. Tonal nitric oxide and health: A free radical and a scavenger of free radicals. *Medical Science Monitor* 2002; 8(1):1-4.
249. Benz D, Cadet P, Mantione K, Zhu W, Stefano GB. Tonal nitric oxide and health: Anti-bacterial and -viral actions and implications for HIV. *Medical Science Monitor* 2002; 8(2):RA27-RA31.
250. Bilfinger TV, Stefano GB. The role of protease inhibition with emphasis on the effects of inflammation and vascular immune phenomena. *Current Pharmaceutical Design* 2002. 8(7): 505-508.
251. Bilfinger TV, Vosswinkel JA, Cadet P, Rialas CM, Magazine HI, Stefano GB. Direct assessment of diminished production of morphine stimulated NO by diabetic endothelium from saphenous vein. *Acta Pharmacologica Sinica* 2002. 23(2): 97-102.
252. Cadet P, Mantione K, Bilfinger TV, Stefano GB. Morphine down regulates human vascular tissue estrogen receptor expression determined by real-time RT-PCR. *Neuroendocrinol Lett* 2002. 23(2): 95-100.
253. Cadet P, Zhu W, Mantione K, Baggerman G, Stefano GB. Cold stress alters *Mytilus edulis* pedal ganglia expression of m opiate receptor transcripts determined by real-time RT-PCR and morphine levels. *Brain Research: Molecular Brain Research* 2002. 99(1): 26-33.
254. Czlonkowska A, Kurkowska-Jastrzebska I, Czlonkowski A, Peter D, Stefano GB. Immune processes in the pathogenesis of Parkinson's disease D a potential role for microglia and nitric oxide. *Med Sci Monit* 2002. 8(8): RA165-RA177.
255. Esch T, Stefano GB, Fricchione GL, Benson H. Stress in cardiovascular diseases. *Medical Science Monitor* 2002. 8(5): RA93-RA101.
256. Esch T, Stefano GB. An overview of stress and its impact in immunological diseases. *Modern Aspects of Immunobiology* 2002. 2(4): 187-192.
257. Esch T, Stefano GB, Fricchione GL, Benson H. The role of stress in neurodegenerative diseases and mental disorders. *Neuroendocrinology Letters* 2002. 23(3): 199-208.

258. Esch T, Stefano GB, Fricchione GL, Benson H. Stress-related diseases: A potential role for nitric oxide. *Medical Science Monitor* 2002. 8(6): RA103-RA118.
259. Esch T, Stefano GB. Proinflammation: A common denominator or initiator of different pathophysiological disease processes. *Medical Science Monitor* 2002. 8(5): 1-9.
260. Goumon Y, Stefano GB, Aunis D, Metz-Boutigue MH. Implication of endogenous morphine in the communication between neuroendocrine and immune systems. *Annals of the New York Academy of Sciences* 2002. 971(542): 543.
261. Guarna M, Bianchi E, Bartolini A, Ghelardini C, Galeotti N, Bracci L, Neri C, Sonetti D, Stefano GB. Endogenous morphine modulates acute thermnociception in mice. *J Neurochem* 2002. 80(2): 271-277.
262. Guarna M, Bianchi E, Bartolini A, Ghelardini C, Galeotti N, Bracci L, Neri C, Sonetti D, Stefano GB. Endogenous morphine modulates acute thermnociception in mice. *J Neurochem* 2002. 80(2): 271-277.
263. Krylatov AV, Bernatskaia NA, Maslov LN, Pertwee RG, Mechoulam R, Stefano GB, Sharaevskii MA, Sal'nikova OM. [Increase of the heart arrhythmogenic resistance and decrease of the myocardial necrosis zone during activation of cannabinoid receptors]Russian. *Russ Fiziol Zh Im I M Sechenova* 2002. 88(5): 560-567.
264. Krylatov AV, Uzhachenko RV, Maslov LN, Ugdyzhekova DS, Bernatskaia NA, Pertwee R, Stefano GB, Makriyannis A. [Anandamide and R-(+)-methanandamide prevent development of ischemic and reperfusion arrhythmia in rats by stimulation of CB2-receptors]Russian. *Eksp Klin Farmakol* 2002. 65(3): 6-9.
265. Lasukova TV, Krylatov AV, Maslov LN, Lishmanov YB, Gross GJ, Stefano GB. Effect of in vivo and in vitro stimulation of delta1-opioid receptors on myocardial resistance to arrhythmogenic action of ischemia and reperfusion. *Bull Exp Biol and Med* 2002. 134(4): 359-362.
266. Mantione K, Zhu W, Rialas C, Casares F, Franklin A, Tonnesen J, Stefano GB. Morphine-6-glucuronide stimulates nitric oxide release in mussel neural tissues: Evidence for a morphine-6-glucuronide opiate receptor subtype. *Cellular & Molecular Life Sciences* 2002. 59(3): 570-574.
267. Rasmussen M, Zhu W, Tonnesen J, Cadet P, Tonnesen E, Stefano GB. Effects of morphine on tumour growth. *Neuroendocrinology Letters* 2002. 23(3): 193-198.
268. Salamon E, Stefano GB, Kim M. Music as an aid in the development of the social self. *Medical Science Monitor* 2002. 8(12): SR35-SR38.
269. Salzet M, Stefano GB. The endocannabinoid system in invertebrates. *Prostaglandins Leukotrienes & Essential Fatty Acids* 2002. 66(2-3): 353-361.

270. Stefano GB, Miller J. Communication between animal cells and the plant foods they ingest: phyto-zooidal dependencies and signaling. *International Journal of Molecular Medicine* 2002. 10(4): 413-421.
271. Stefano GB, Ottaviani E. The biochemical substrate of nitric oxide signaling is present in primitive non-cognitive organisms. *Brain Research* 2002. 924(1): 82-89.
272. Stefano GB, Zhu W, Cadet P, Mantione K, Bilfinger TV, Bianchi E, Guarna M. A hormonal role for endogenous opiate alkaloids: Vascular tissues. *Neuroendocrinology Letters* 2002. 23(1): 21-26.
273. Stefano GB, Fricchione GL. The biology of deception: "Man's inhumanity to man" and emerging viruses. *Placebo* 2002. 3: 4-11.
274. Stefano GB, Cadet P, Zhu W, Rialas CM, Mantione K, Benz D, Fuentes R, Casares F, Fricchione GL, Fulop ZI, Slingsby BT. The blueprint for stress can be found in invertebrates. *Neuroendocrinology Letters* 2002. 23(2): 85-93.
275. Stefano GB, Salzet M, Magazine HI. Cyclic nitric oxide release by human granulocytes, and invertebrate ganglia and immunocytes: Nano-technological enhancement of amperometric nitric oxide determination. *Medical Science Monitor* 2002. 8(6): BR199-BR204.
276. Stefano GB, Benz D. Nitric oxide modulates cell shape. *Current Opinions in European Medicine* 2002. 3(2): 32-39.
277. Zhu W, Ma Y, Stefano GB. Presence of isoquinoline alkaloids in molluscan ganglia. *Neuroendocrinol Lett* 2002. 23(4): 329-334.
278. Zhu W, Baggerman G, Secor WE, Casares F, Pryor SC, Fricchione GL, Ruiz-Tiben E, Eberhard ML, Bimi L, Stefano GB. *Dracunculus medinensis* and *Schistosoma mansoni* contain opiate alkaloids. *Annals of Tropical Medicine and Parasitology* 2002. 96(3): 309-316.
279. Butts CO, Stefano GB, Fricchione G, Salamon E. Religion and its effects on crime and delinquency. *Med Sci Monit* 2003. 9(8): SR79-SR82.
280. Cadet P, Zhu W, Mantione K, Rymer M, Dardik I, Reisman S, Hagberg S, Stefano GB. Cyclic exercise induces anti-inflammatory signal molecule increases in the plasma of Parkinson's patients. *Int J Mol Med* 2003. 12(4): 485-492.
281. Cadet P, Mantione KJ, Stefano GB. Molecular identification and functional expression of mu3, a novel alternatively spliced variant of the human mu opiate receptor gene. *Journal of Immunology* 2003. 170(10): 5118-5123.

282. Cho JJ, Ianucci FA, Fraile M, Franco J, Alesius TN, Stefano GB. The role of estrogen in neuroprotection: Implications for neurodegenerative diseases. *Neuroendocrinology Letters* 2003. 24(3-4): 141-147.
283. Cho JJ, Cadet P, Salamon E, Mantione KJ, Stefano GB. The nongenomic protective effects of estrogen on the male cardiovascular system: clinical and therapeutic implications in aging men. *Medical Science Monitor* 2003. 9(3): RA63-RA68.
284. de la Torre JC, Pappas BA, Prevot V, Emmerling MR, Mantione K, Fortin T, Watson MD, Stefano GB. Hippocampal nitric oxide upregulation precedes memory loss and A beta 1-40 accumulation after chronic brain hypoperfusion in rats. *Neurological Research* 2003. 25(6): 635-641.
285. de la Torre JC, Emmerling MR, Stefano GB, Aliev G. A rat model of MCI upregulates nitric oxide and precedes memory loss and A beta 1-40 accumulation after chronic brain hypoperfusion. *Restorative Neurology and Neuroscience* 2003. 21(5-6): 264.
286. Esch T, Fricchione GL, Stefano GB. The therapeutic use of the relaxation response in stress-related diseases. *Medical Science Monitor* 2003. 9(2): RA23-RA34.
287. Guarna M, Bartolini A, Ghelardini C, Galeotti N, Bracci L, Stefano GB, Bianchi E. Anti-mu opioid antiserum against the third external loop of the cloned mu opioid receptor acts a mu receptor neutral antagonist. *Mol Brain Res* 2003. 119(1): 100-110.
288. Jones DA, Cho JJ, Salamon E, Stefano GB. Risk factors for breast cancer and the prognosis of African American women: estrogen's role. *Med Sci Monit* 2003. 9(6): RA110-RA118.
289. Mantione K, Hong R, Im R, Nam JH, Simon M, Cadet P, Stefano GB. Effects of cold stress on morphine-induced nitric oxide production and mu-opiate receptor gene expression in *Mytilus edulis* pedal ganglia. *Neuroendocrinol Lett* 2003. 24(1-2): 68-72.
290. Maslov LN, Lishmanov YB, Solenkova NV, Gross GJ, Stefano GB, Tam SW. Activation of peripheral delta opioid receptors eliminates cardiac electrical instability in a rat model of post-infarction cardiosclerosis via mitochondrial ATP-dependent K(+) channels. *Life Sci* 2003. 73(7): 947-952.

291. Salamon E, Kim M, Beaulieu J, Stefano GB. Sound therapy induced relaxation: down regulating stress processes and pathologies. *Med Sci Monit* 2003. 9(5): RA96-RA101.
292. Salamon E, Bernstein SR, Kim SA, Kim M, Stefano GB. The effects of auditory perception and musical preference on anxiety in naive human subjects. *Med Sci Monit* 2003. 9(9): CR396-CR399.
293. Salzet M, Stefano GB. Chromocin-like peptide in leeches. *Neuroendocrinology Letters* 2003. 24(3-4): 227-232.
294. Stefano GB, Cadet P, Mantione K, Cho JJ, Jones D, Zhu W. Estrogen Signaling at the Cell Surface Coupled to Nitric Oxide Release in *Mytilus edulis* Nervous System. *Endocrinology* 2003. 144(4): 1234-1240.
295. Stefano GB, Esch T, Cadet P, Zhu W, Mantione K, Benson H. Endocannabinoids as autoregulatory signaling molecules: coupling to nitric oxide and a possible association with the relaxation response. *Med Sci Monit* 2003. 9(4): RA63-RA75.
296. Stefano GB, Zhu W, Mantione K, Jones D, Salamon E, Cho JJ, Cadet P. 17-b-estradiol down regulates ganglionic microglial cells via nitric oxide release: Presence of a fragment for estrogen receptor b. *Neuroendocrinology Letters* 2003. 24(3-4): 130-136.
297. Stefano GB, Cadet P, Rialas CM, Mantione K, Casares F, Goumon Y, Zhu W. Invertebrate opiate immune and neural signaling. *Adv Exp Med Biol* 2003. 521: 126-147.
298. Stefano GB. Estrogen Genomic and Nongenomic Signaling Processes May Really Be Working In Harmony. *Neuroendocrinology Letters* 2003. 24(3-4): 128-129.
299. Zhu W, Mantione K, Jones D, Salamon E, Cho JJ, Cadet P, Stefano GB. The Presence of 17-b estradiol in *Mytilus edulis* Gonadal Tissues: Evidence for Estradiol Isoforms. *Neuroendocrinology Letters* 2003. 24(3-4): 137-140.
300. Zhu W, Ma Y, Cadet P, Yu D, Bilfinger TV, Bianchi E, Stefano GB. Presence of reticuline in rat brain: A pathway for morphine biosynthesis. *Mol Brain Res* 2003. 117(1): 83-90.

301. Cadet P, Rasmussen M, Zhu W, Tonnesen E, Mantione KJ, Stefano GB. Endogenous morphinergic signaling and tumor growth. *Frontiers in Bioscience* 2004. 9: 3176-3186.
302. Cadet P, Mantione KJ, Bilfinger TV, Stefano GB. Differential expression of the human mu opiate receptor from different primary vascular endothelial cells. *Medical Science Monitor* 2004. 10(10): BR351-BR355.
303. Esch T, Guarna M, Bianchi E, Stefano GB. Meditation and limbic processes. *Biofeedback* 2004. 32(3): 22-27.
304. Esch T, Guarna M, Bianchi E, Zhu W, Stefano GB. Commonalities in the central nervous system's involvement with complementary medical therapies: Limbic morphinergic processes. *Medical Science Monitor* 2004. 10(6): MS6-MS17.
305. Esch T, Stefano GB. The neurobiology of pleasure, reward processes, addiction and their health implications. *Neuroendocrinology Letters* 2004. 25(4): 235-251.
306. Guarna M, Ghelardini C, Galeotti N, Bartolini A, Noli L, Neri C, Stefano GB, Bianchi E. Effects of endogenous morphine deprivation on memory retention of passive avoidance learning in mice. *Int J Neuropsychopharmacol* 2004. 7(3): 311-319.
307. Lishmanov YB, Naryzhnaya NV, Krylatov AB, Maslov LN, Bogomaz SA, Ugdyzhekova DS, Gross GJ, Stefano GB. Role of opiate receptors and ATP-dependent potassium channels of mitochondria in the formation of myocardial adaptive resistance to the arrhythmogenic effect of ischemia and reperfusion. *Izvestiya RAN seriya biologicheskaya* 2004. 6: 720-727.
308. Mantione KJ, Stefano GB. A sub-nanomolar real-time nitric oxide probe: in vivo nitric oxide release in heart. *Med Sci Monit* 2004. 10(4): MT47-MT49.
309. Neri C, Guarna M, Bianchi E, Sonetti D, Matteucci G, Stefano GB. Endogenous morphine and codeine in the brain of non-human primate. *Medical Science Monitor* 2004. 10(6): MS1-MS5.
310. Olsen P, Rasmussen M, Stefano GB, Tonnesen EK. [Morphine affects the proliferation of tumour cells]. *Ugeskr Laeger* 2004. 166(48): 4347-4350.

311. Salamon E, Zhu W, Stefano GB. Nitric oxide as a possible mechanism for understanding the therapeutic effects of osteopathic manipulative medicine (Review). *Int J Mol Med* 2004. 14(3): 443-449.
312. Stefano GB, Zhu W, Cadet P, Salamon E, Mantione KJ. Music alters constitutively expressed opiate and cytokine processes in listeners. *Medical Science Monitor* 2004. 10(6): MS18-MS27.
313. Stefano GB. Reply to comment to: Music alters constitutively expressed opiate and cytokine processes in listeners; *Med Sci Monit*, 2004; 10(6): MS18-27. *Med Sci Monit* 2004. 10(10): LE19-LE20.
314. Stefano GB, Kim E, Liu Y, Zhu W, Casares F, Mantione K, Jones DA, Cadet P. Nitric oxide modulates microglial activation. *Med Sci Monit* 2004. 10(2): BR17-BR22.
315. Stefano GB, Zhu W, Cadet P, Mantione K. Morphine enhances nitric oxide release in the mammalian gastrointestinal tract via the m3 opiate receptor subtype: A hormonal role for endogenous morphine. *Journal of Physiology and Pharmacology* 2004. 55(1 Pt 2): 279-288.
316. Stefano GB. Endogenous morphine: a role in wellness medicine. *Med Sci Monit* 2004. 10(6): ED5.
317. Stefano GB, Mantione K, Jones D, Zhu W, Casares F, Cadet P. Immunocytes modulate ganglionic nitric oxide release which later affects their activity level. *Neuroendocrinology Letters* 2004. 25(1-2): 57-61.
318. Zhu W, Stefano GB. Reticuline exposure to invertebrate Ganglia increases endogenous morphine levels. *Neuro Endocrinol Lett* 2004. 25(5): 323-330.
319. Zhu W, Pryor SC, Putnam J, Cadet P, Stefano GB. Opiate alkaloids and nitric oxide production in the nematode *Ascaris suum*. *Journal of Parasitology* 2004. 90(1): 15-22.
320. Zhu W, Ma Y, Bell A, Esch T, Guarna M, Bilfinger TV, Bianchi E, Stefano GB. Presence of morphine in rat amygdala: Evidence for the 3 opiate receptor subtype via nitric oxide release in limbic structures. *Med Sci Monit* 2004. 10(12): BR433-BR439.

321. Casares FM, McElroy A, Mantione KJ, Baggerman G, Zhu W, Stefano GB. The American lobster, *Homarus americanus*, contains morphine that is coupled to nitric oxide release in its nervous and immune tissues: Evidence for neurotransmitter and hormonal signaling. *Neuroendocrinology Letters* 2005. 26(2): 89-97.
322. Esch T, Stefano GB. The Neurobiology of Love. *Neuroendocrinology Letters* 2005. 26(3): 175-192.
323. Esch T, Stefano GB. Love Promotes Health. *Neuroendocrinology Letters* 2005. 26(3): 264-267.
324. Fricchione GL, Stefano GB. Placebo neural systems: Nitric oxide, morphine and the dopamine brain reward and motivation circuitries. *Medical Science Monitor* 2005. 11(5): MS54-MS65.
325. Goumon Y, Strub JM, Stefano GB, Van Dorsselaer A, Aunis D, Metz-Boutigue MH. Characterization of a morphine-like molecule in secretory granules of chromaffin cells. *Medical Science Monitor* 2005. 11(5): MS31-MS34.
326. Guarna M, Ghelardini C, Galeotti N, Stefano GB, Bianchi E. Neurotransmitter role of endogenous morphine in CNS. *Medical Science Monitor* 2005. 11(6): RA190-RA193.
327. Mantione KJ, Goumon Y, Esch T, Stefano GB. Morphine 6b glucuronide: Fortuitous morphine metabolite or preferred peripheral regulatory opiate? *Medical Science Monitor* 2005. 11(5): MS43-MS46.
328. Olsen P, Rasmussen M, Zhu W, Tonnesen E, Stefano GB. Human gliomas contain morphine. *Medical Science Monitor* 2005. 11(5): MS18-MS21.
329. Pak T, Cadet P, Mantione KJ, Stefano GB. Morphine via nitric oxide modulates beta-amyloid metabolism: a novel protective mechanism for Alzheimer's disease. *Med Sci Monit* 2005. 11(10): BR357-BR366.
330. Pryor SC, Zhu W, Cadet P, Bianchi E, Guarna M, Stefano GB. Endogenous morphine: opening new doors for the treatment of pain and addiction. *Expert Opin Biol Ther* 2005. 5(7): 893-906.

331. Rambhia S, Mantione KJ, Stefano GB, Cadet P. Morphine modulation of the ubiquitin-proteasome complex is neuroprotective. *Med Sci Monit* 2005. 11(11): BR386-BR396.
332. Salamon E, Esch T, Stefano GB. The role of the amygdala in mediating sexual and emotional behavior via coupled nitric oxide release. *Acta Pharmacologica Sinica* 2005. 26(4): 389-395.
333. Sonetti D, Peruzzi E, Stefano GB. Endogenous morphine and ACTH association in neural tissues. *Medical Science Monitor* 2005. 11(5): MS22-MS30.
334. Stefano GB, Finn III JP. Intellectual Property 101. *Med Sci Monit* 2005. 11(11): ED7.
335. Stefano GB. Advances in endogenous morphine. *Med Sci Monit* 2005. 11(5): ED1.
336. Stefano GB, Esch T. Integrative medical therapy: examination of meditation's therapeutic and global medicinal outcomes via nitric oxide (review). *Int J Mol Med* 2005. 16(4): 621-630.
337. Stefano GB, Fricchione GL, Goumon Y, Esch T. Pain, immunity, opiate and opioid compounds and health. *Medical Science Monitor* 2005. 11(5): MS47-MS53.
338. Stefano GB, Esch T. Love and stress (Editorial). *Neuroendocrinology Letters* 2005. 26(3): 173-174.
339. Stefano GB, Burrill JD, Labur S, Blake J, Cadet P. Regulation of various genes in human leukocytes acutely exposed to morphine: Expression microarray analysis. *Medical Science Monitor* 2005. 11(5): MS35-MS42.
340. Zhu W, Mantione KJ, Shen L, Stefano GB. In vivo and in vitro L-DOPA exposure increases ganglionic morphine levels. *Medical Science Monitor* 2005. 11(5): MS1-MS5.
341. Zhu W, Mantione KJ, Shen L, Cadet P, Esch T, Goumon Y, Bianchi E, Sonetti D, Stefano GB. Tyrosine and tyramine increase endogenous ganglionic morphine and dopamine levels *in vitro* and *in vivo*: CYP2D6 and tyrosine hydroxylase modulation demonstrates a dopamine coupling. *Medical Science Monitor* 2005. 11: BR397-BR404.

342. Zhu W, Cadet P, Baggerman G, Mantione KJ, Stefano GB. Human white blood cells synthesize morphine: CYP2D6 modulation. *Journal of Immunology* 2005. 175(11): 7357-7362.
343. Casares FM, Mantione KJ, Oh K, Lee R, Stefano GB. Nitric oxide's pulsatile release in lobster heart and its regulation by opiate signaling: Pesticide interference. *Med Sci Monit* 2006. 12(12): BR373-BR378.
344. Dusek JA, Chang BH, Zaki J, Lazar S, Deykin A, Stefano GB, Wohlhueter AL, Hibberd PL, Benson H. Association between oxygen consumption and nitric oxide production during the relaxation response. *Med Sci Monit* 2006. 12(1): CR1-10.
345. Esch T, Kim JW, Stefano GB. Neurobiological implications of eating healthy. *Neuro Endocrinol Lett* 2006. 27(1-2).
346. Esch T, Michalsen A, Stefano GB. [Endocannabinoids as molecular instruments of health promotion]. *Med Monatsschr Pharm* 2006. 29(11): 397-403.
347. Galeotti N, Stefano GB, Guarna M, Bianchi E, Ghelardini C. Signaling pathway of morphine induced acute thermal hyperalgesia in mice. *Pain* 2006. 123(3): 294-305.
348. Glattard E, Muller A, Aunis D, Metz-Boutigue MH, Stefano GB, Goumon Y. Rethinking the opiate system? Morphine and morphine-6-glucuronide as new endocrine and neuroendocrine mediators. *Med Sci Monit* 2006. 12(6): SR25-SR27.
349. Goumon Y, Muller A, Glattard E, Marban C, Gasnier C, Strub JM, Chasserot-Golaz S, Rohr O, Stefano GB, Welters ID, Van DA, Schoentgen F, Aunis D, Metz-Boutigue MH. Identification of Morphine-6-glucuronide in Chromaffin Cell Secretory Granules. *J Biol Chem* 2006. 281(12): 8082-8089.
350. Kream RM, Stefano GB. De novo biosynthesis of morphine in animal cells: An evidence-based model. *Medical Science Monitor* 2006. 12(10): RA207-RA219.
351. Kream RM, Stefano GB. Morphine synthesis in animals (Editorial). *Medical Science Monitor* 2006. 12(10): ED1-ED2.
352. Mantione KJ, Kim C, Stefano GB. Morphine regulates gill ciliary activity via coupling to nitric oxide release in a bivalve mollusk: opiate receptor expression in gill tissues. *Med Sci Monit* 2006. 12(6): BR195-BR200.

- 353. Salamon E, Esch T, Stefano GB. Pain and relaxation (review). *Int J Mol Med* 2006. 18(3): 465-470.
- 354. Stefano GB, Salamon EJ. Nitric Oxide and Anandamide in OMT Research. *J Am Osteopath Assoc* 2006. 106(10): 588-589.
- 355. Stefano GB, Fricchione GL, Esch T. Relaxation: Molecular and physiological significance. *Medical Science Monitor* 2006. 12(9): HY21-31.
- 356. Zhu W, Mantione KJ, Shen L, Lee B, Stefano GB. Norlaudoanoline and nicotine increase endogenous ganglionic morphine levels: Nicotine addiction. *Cell Mol Neurobiol* 2006. 26(4-6): 1037-1045.
- 357. Zhu W, Mantione KJ, Casares FM, Cadet P, Kim JW, Bilfinger TV, Kream RM, Khalil S, Singh S, Stefano GB. Alcohol-, nicotine-, and cocaine-evoked release of morphine from invertebrate ganglia: Model system for screening drugs of abuse. *Medical Science Monitor* 2006. 12(5): BR155-BR161.
- 358. Zhu W, Mantione KJ, Casares FM, Sheehan MH, Kream RM, Stefano GB. Cholinergic regulation of endogenous morphine release from lobster nerve cord. *Med Sci Monit* 2006. 12(9): BR295-BR301.
- 359. Zhu W, Cadet P, Mantione KJ, Kream RM, Stefano GB. Response to Comment on "Human White Blood Cells Synthesize Morphine: CYP2D6 Modulation". *Journal of Immunology* 2006. 176: 5704.
- 360. Zhu W, Mantione K, Kream RM, Stefano GB. Alcohol-, Nicotine-, and Cocaine-Evoked Release of Morphine from Human White Blood Cells: Substances of Abuse Actions Converge on Endogenous Morphine Release. *Medical Science Monitor* 2006. 12(11): BR350-BR354.
- 361. Cadet P, Mantione KJ, Zhu W, Kream RM, Sheehan M, Stefano GB. A functionally coupled mu3-like opiate receptor/nitric oxide regulatory pathway in human multi-lineage progenitor cells. *Journal of Immunology* 2007. 179(9): 5839-5844.
- 362. Cheng J, Zhang C, Han JS, Stefano GB, Kream RM. TENS stimulates constitutive nitric oxide release via opiate signaling in invertebrate neural tissues. *Med Sci Monit* 2007. 13(8): BR163-BR167.


363. Esch T, Stefano GB. A bio-psycho-socio-molecular approach to pain and stress management. *Forsch Komplementarmed* 2007. 14(4): 224-234.
364. Ghelardini C, Galeotti N, Vivoli E, Norcini M, Zhu W, Stefano GB, Guarna M, Bianchi E. Molecular interaction in the mouse PAG between NMDA and opioid receptors in morphine induced acute thermal nociception. *J Neurochem* 2007. DOI: doi: 10.1111/j.1471-4159.2007.05117.x
365. Kream RM, Sheehan M, Cadet P, Mantione KJ, Zhu W, Casares FM, Stefano GB. Persistence of evolutionary memory: Primordial six-transmembrane helical domain mu opiate receptors selectively linked to endogenous morphine signaling. *Medical Science Monitor* 2007. 13(12): SC5-SC6.
366. Kream RM, Liu NJ, Zhuang M, Esposito PL, Esposito TR, Stefano GB, Witmeyer JJJ. Synthesis and pharmacological analysis of a morphine/substance P chimeric molecule with full analgesic potency in morphine-tolerant rats. *Med Sci Monit* 2007. 13(2): BR25-BR31.
367. Mantione KJ, Esch T, Stefano GB. Detection of nitric oxide in exhaled human breath: exercise and resting determinations. *Med Sci Monit* 2007. 13(3): MT1-MT5.
368. Stefano GB, Kream RM, Mantione KJ, Sheehan M, Cadet P, Zhu W, Bilfinger TV, Esch T. Endogenous morphine/nitric oxide-coupled regulation of cellular physiology and gene expression: Implications for cancer biology. *Semin Cancer Biol* 2007. DOI: <http://dx.doi.org/10.1016/j.semcancer.2007.12.003>
369. Stefano GB, Kream R. Endogenous opiates, opioids, and immune function: Evolutionary brokerage of defensive behaviors. *Semin Cancer Biol* 2007. DOI: <http://dx.doi.org/10.1016/j.semcancer.2007.12.001>
370. Stefano GB, Bianchi E, Guarna M, Fricchione GL, Zhu W, Cadet P, Mantione KJ, Casares FM, Kream RM, Esch T. Nicotine, alcohol and cocaine coupling to reward processes via endogenous morphine signaling: The dopamine-morphine hypothesis. *Med Sci Monit* 2007. 13(6): RA91-102.
371. Stefano GB, Kream RM. Endogenous morphine synthetic pathway preceded and gave rise to catecholamine synthesis in evolution (Review). *Int J Mol Med* 2007. 20(6): 837-841.

372. Welters ID, Menzebach A, Goumon Y, Langefeld TW, Harbach H, Muhling J, Cadet P, Stefano GB. Morphine inhibits AP-1 activity and CD14 expression in leukocytes by a nitric oxide and opioid receptor-dependent mechanism. *Eur J Anaesthesiol* 2007. 24(11): 958-965.
373. Zhu W, Mantione KJ, Kream RM, Cadet P, Stefano GB. Cholinergic regulation of morphine release from human white blood cells: evidence for a novel nicotinic receptor via pharmacological and microarray analysis. *Int J Immunopathol Pharmacol* 2007. 20(2): 229-237.
374. Mantione KJ, Cadet P, Zhu W, Kream RM, Sheehan M, Fricchione GL, Goumon Y, Esch T, Stefano GB. Endogenous morphine signaling via nitric oxide regulates the expression of CYP2D6 and COMT: autocrine/paracrine feedback inhibition. *Addict Biol* 2008. 13(1): 118-123. DOI: 10.1111/j.1369-1600.2007.00072.x
375. Stefano GB, Stefano JM, Esch T. Anticipatory Stress Response: A significant commonality in stress, relaxation, pleasure and love responses. *Med Sci Monit* 2008. 14(2): RA17-RA21.

ATTACHMENT “B”


Healthin 2

Mass Spectrometry




ATTACHMENT “C”

2,3-dihydroxypropyl oleate




Compound Name:	Molecular Weight:	356.5
2,3-dihydroxypropyl oleate	Molecular Formula:	$C_{21}H_{40}O_4$
2,3-dihydroxypropyl cis-9-octadecenoate		
alpha-monoolein		
monoolein		
glycerol 1-monooleate		

2,3-dihydroxypropyl oleate
Mass Spectrometry




Comparative Mass Spectrometry Analysis




ATTACHMENT “D”

Bis(m-phenoxyphenyl) ether




Compound Name:	Molecular Weight:	354.4
Molecular Formula:		$C_{24}H_{18}O_3$
Bis(m-phenoxyphenyl) ether		

Bis(m-phenoxyphenyl) ether Mass Spectrometry




Comparative Mass Spectrometry Analysis




ATTACHMENT “E”

6-acetyl-5,6,6a,7-tetrahydro-4H-dibenzo(de,g)quinoline




Compound Name:	Molecular Weight:	263.3
	Molecular Formula:	C ₁₈ H ₁₇ NO
6-acetyl-5,6,6a,7-tetrahydro-4H-dibenzo(de,g)quinoline		

6-acetyl-5,6,6a,7-tetrahydro-4H-dibenzo(de,g)quinoline
Mass Spectrometry




Comparative Mass Spectrometry Analysis




ATTACHMENT “F”

(+)-N-(p-(2-methylbutoxy)benzylidene)-4-(2-methylbutyl)aniline




Compound Name:	Molecular Weight:	337.5
Molecular Formula:		C ₂₃ H ₃₁ NO
(+) -N-(p-(2-methylbutoxy)benzylidene)-4-(2-methylbutyl)aniline		

(+)-N-(p-(2-methylbutoxy)benzylidene)-4-(2-methylbutyl)aniline
Mass Spectrometry



Comparative Mass Spectrometry Analysis



ATTACHMENT “G”

Nitric Oxide Releasing Properties of an Organic Extract of White Willow (Salix Alba) Bark

Background and Significance:

Traditional aqueous extractions of white willow bark have yielded herbal medicinal preparations with significant anti-pyretic, anti-inflammatory, and analgesic properties. The medicinal/therapeutic properties of white willow bark extracts have been attributed to water soluble molecules classified as non-steroidal anti-inflammatory drugs (NSAIDs). Prominent white willow bark NSAIDs include salicin [2-(Hydroxymethyl)phenyl β -D-glucopyranoside] and salicylic acid [2-hydroxybenzoic acid]. Historically, the prototype NSAID aspirin [acetylsalicylic acid; 2-acetoxybenzoic acid] was synthesized via chemical acetylation of salicylic acid obtained from willow bark.

We have recently described novel chemical components of white willow bark extracts with marked therapeutic potential. Specific HPLC fractions of white willow bark extracts have been demonstrated to evoke release of the therapeutically beneficial free radical gas nitric oxide (NO) from ex vivo tissue preparations. Importantly, the temporal profile of NO release indicates selective stimulation of constitutive NO Synthase (cNOS), the NOS isozyme responsible for normal health-related vascular and organ function. Finally, QTOF mass spectroscopic analysis of active NO-releasing HPLC fractions indicate a lack of chemical identity with previously characterized salicin and salicylate analogs found in white willow bark. These data strongly support the existence of a novel class of non-salicin/salicylate therapeutic chemicals in white willow bark that displays an independent mode of action from that established for the pharmaceutical class of salicin/salicylate NSAID agents.

To provide additional confirmatory biochemical evidence that white willow bark contains novel class of non-salicin/salicylate anti-inflammatory compounds, we employed a traditional lipid extraction to selectively eliminate water soluble salicin/salicylate-related chemical compounds. Additionally, parallel water extractions were performed according to specifications listed in two prior art documents. Aliquots from lipid and water extracted white willow bark were tested for biological activity via evoked release of NO from nervous tissue.

White Willow Bark Extraction of Lipid Soluble Compounds:

White willow bark was extracted according to a standard lipid purification protocol. A 10% extraction preparation employed 2g of pulverized white willow bark incubated in 20 ml of organic solvent consisting of chloroform/2-propanol (ratio of 9:1) for 8 hrs at 40. Supernatant fractions were collected by centrifugation and vacuum dried utilizing a Centri-Vap apparatus. Dried extraction residues were resuspended by sonication in cold PBS (phosphate

buffered saline, pH 7.4) and clarified by centrifugation. Aliquots of clarified white willow bark lipid extracts were tested for their ability to release NO from ex vivo tissue preparations (below).

White Willow Bark Water Extraction:

To demonstrate that NO releasing constituents of white willow bark are exclusively associated with lipid soluble fractions, a traditional water extraction was performed. Two water extraction procedures were employed according to established prior art: 1) a 10% extraction of 2g of pulverized white willow bark incubated in 20 ml dH₂O for 8 hrs at room temperature, ref a. below; 2) a 10% extraction of 2g of pulverized white willow bark incubated in 20 ml of boiling dH₂O followed by natural cooling at room temperature, ref b. below. Extractions were clarified by centrifugation and supernatants were reserved and freeze dried. Dried samples were reconstituted in PBS and aliquots were tested for their ability to release NO from ex vivo tissue preparations (below).

Real-time Nitric Oxide Release Assay:

Nitric oxide releasing activities of aliquots of clarified white willow bark lipid extracts were determined using a standardized ex vivo invertebrate neural tissue preparation in use in the laboratory for over ten years. For each independent analysis, 10 *Mytilus edulis* pedal ganglia (1-1.2 mg, wet weight/ganglia) were dissected on ice and placed in a 1.7-ml low-binding, pre-siliconized, microcentrifuge tube containing 1 ml of PBS. Nitric oxide release was directly measured using a NO-specific amperometric probe (30 μ m, 0.5 mm, World Precision Instruments, Sarasota, FL). The amperometric probe was allowed to equilibrate for 10 minutes in the incubation medium (tissue-free) before being transferred to the tube containing the tissue, and allowed to equilibrate for another 5 minutes. A micromanipulator (World Precision Instruments, Sarasota, FL), which is attached to the stage of an inverted microscope (Nikon Diaphot, Melville, NY), was used to position the amperometric probe 15 μ m above the tissue. NO released from each nervous tissue preparation was quantified using an Apollo 4000 Free Radical Analyzer with an NO-selective amperometric nanoprobe and proprietary software. A linear standard function was constructed from the measured amperometric responses provided by predetermined concentrations of the NO donor S-nitroso-N-acetyl-DL-penicillamine (SNAP) in the presence of 0.1M CuCl₂.

Results:

Aliquots of a reconstituted white willow lipid extract evoked the release of NO from pooled *Mytilus edulis* pedal ganglia in a concentration dependent manner. Typically, a 20ul aliquot equivalent to 2 mg of extracted white willow bark engendered release of NO into the tissue bath at a peak concentration of 10nM equivalent to 1nM/ganglia (Figure 1, upper solid trace). In marked contrast to the lipid extraction protocol, a 20ul aliquots equivalent to 2 mg of both cold and

boiling water extracted white willow bark were observed to be without effect on evoked release of NO from pooled ganglia (lower broken traces).

Figure 2 depicts a dose response relationship of lipid extracted white willow bark to evoked release of NO from pooled *M. edulis* pedal ganglia. 10, 20, and 30ul aliquots equivalent to 1, 2, and 3 mg equivalents of lipid extracted white willow bark engendered release of NO into the tissue bath at a peak concentrations of 4, 10, and 12 nM, respectively. Similar results were observed for 3 independent experiments utilizing pooled pedal ganglia.

Aliquots of both cold and boiling water extracted white willow bark equivalent to 1, 2, 5, and 10mg of white willow bark (replicated 3 times) were observed to be without effect on evoked release of NO from pooled ganglia and produced similar time dependent negative responses as depicted in Figure 1 (lower broken traces). Finally, control experiments demonstrated that equivalent aliquots of lipid extractable white willow bark added to PBS alone in the absence of pedal ganglia did not produce amperometric responses indicative of non-specific activation of the measurement electrode (not shown).




Figure1. Real-time evoked release of NO from pooled *M. edulis* pedal ganglia by a white willow bark lipid extract in comparison to cold and boiling water white willow bark water extracts. A 20ul aliquot equivalent to 2 mg of lipid extracted white willow bark engendered release of NO into the tissue bath at a peak

concentration of approximately 10 nM equivalent to 1 nM/ganglia (upper continuous trace). In marked contrast to the lipid extraction protocol, 20 μ l aliquots equivalent to 2 mg of cold and boiling water extracted white willow bark were observed to be without effect on evoked release of NO from pooled ganglia (lower broken traces).




Figure 2. Dose Response relationship of extracted white willow bark to evoked release of NO from pooled *M. edulis* pedal ganglia. 10, 20, and 30 μ l aliquots equivalent to 1, 2, and 3 mg equivalents of lipid extracted white willow bark engendered release of NO into the tissue bath at a peak concentrations of 4, 10, and 12 nM, respectively. N=3, mean \pm SD.

Conclusions:

We have presently demonstrated selective evoked release of NO from pooled *Mytilus edulis* pedal ganglia by aliquots of a lipid extract of white willow bark but not by equivalent aliquots of two traditional water extracts of white willow bark. Based on accumulated prior art, and strongly supported by our current data sets the non-aqueous extraction procedure operationally eliminates water soluble salicin/salicylate-related chemical compounds from the assay system and provides compelling supporting evidence for the existence of a novel class of non-salicin/salicylate anti-inflammatory compounds in willow bark. These

findings are novel and unpredictable from prior art that also indicates an antagonist relationship between NSAID action and inducible NOS activation and NO production linked to inflammatory mediators such as prostanoid compounds.

Prior Art:

- a. Healing Herbs page 371.
- b. PDR for Herbal Medicines page 1112.